



US00D782215S

(12) **United States Design Patent**
Wright

(10) **Patent No.:** **US D782,215 S**
(45) **Date of Patent:** **** Mar. 28, 2017**

(54) **PORTABLE SEATING APPARATUS**

(71) Applicant: **Vanessa Jane Wright**, Waverly (AU)

(72) Inventor: **Vanessa Jane Wright**, Waverly (AU)

(**) Term: **15 Years**

(21) Appl. No.: **29/545,557**

(22) Filed: **Nov. 13, 2015**

(30) **Foreign Application Priority Data**

Jul. 3, 2015 (AU) 133622015

(51) **LOC (10) Cl.** **06-01**

(52) **U.S. Cl.**
USPC **D6/361**

(58) **Field of Classification Search**
USPC D6/334-336, 361, 368, 371-373, 374,
D6/375, 716, 716.1, 716.2, 716.4
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,350,679 A * 6/1944 Hann A47C 1/146
297/452.41

D226,153 S * 1/1973 Boak D6/361
(Continued)

Primary Examiner — Mimoso De

(74) *Attorney, Agent, or Firm* — Oppenhuizen Law PLC;
David L. Oppenhuizen

(57) **CLAIM**

The ornamental design for a portable seating apparatus, as shown and described.

DESCRIPTION

FIG. 1 is a front side view of a portable seating apparatus showing the new design in a closed configuration;

FIG. 2 is a rear side view showing the new design in a closed configuration;

FIG. 3 is a left side view showing the new design in a closed configuration, the right side view being a mirror image;

FIG. 4 is a left side view showing the new design in a partially open deployed configuration, the partially open configuration of the right side view being a mirror image;

FIG. 5 is a top side view showing the new design in a closed configuration;

FIG. 6 is a bottom side view showing the new design in a closed configuration;

FIG. 7 is a front perspective view showing the new design in a closed configuration;

FIG. 8 is a rear perspective view showing the new design in a closed configuration;

FIG. 9 is a front side view showing the new design in an open deployed configuration;

FIG. 10 is a rear side view showing the new design in an open deployed configuration;

FIG. 11 is a top side view showing the new design in an open deployed configuration;

FIG. 12 is a bottom side view showing the new design in an open deployed configuration;

FIG. 13 is a left side view showing the new design in an open deployed configuration, the open deployed configuration of the right side view being a mirror image;


FIG. 14 is a front perspective view showing the new design in an open deployed configuration;

FIG. 15 is a rear perspective view showing the new design in an open deployed configuration; and,

FIG. 16 is a left side perspective view showing the new design in an open deployed configuration.

The broken lines shown in the drawings are for illustrative purposes only and form no part of the claimed design.

1 Claim, 5 Drawing Sheets



(58) **Field of Classification Search**

CPC A47C 1/143; A47C 1/146; A47C 4/54;
A47C 4/028; A47C 7/18

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D361,905 S * 9/1995 Adams D6/334
D363,828 S * 11/1995 Lockwood D6/361
D372,805 S * 8/1996 Bonaddio D6/334
5,588,570 A * 12/1996 Zirbel A47C 1/146
297/129
5,819,999 A * 10/1998 Tennant A47C 1/146
224/153
D674,206 S * 1/2013 Urquiola Hidalgo D6/361

* cited by examiner




Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7




Figure 8




Figure 9




Figure 10




Figure 11




Figure 12




Figure 13




Figure 14




Figure 15




Figure 16