



US00D782248S

(12) **United States Design Patent** (10) **Patent No.:** **US D782,248 S**
Kushner (45) **Date of Patent:** **** Mar. 28, 2017**

(54) **WHISTLE GLASS**

(71) Applicant: **Robert Kushner**, Pok Fu Lam (HK)

(72) Inventor: **Robert Kushner**, Pok Fu Lam (HK)

(73) Assignee: **UT BRANDS, LLC**, Costa Mesa, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/474,777**

(22) Filed: **Feb. 6, 2015**

(51) **LOC (10) Cl.** **07-01**

(52) **U.S. Cl.**
USPC **D7/507; D7/509; D7/533; D10/119.3**

(58) **Field of Classification Search**

USPC D7/500, 501, 503, 505, 507, 509, 510, D7/511, 512, 523, 529, 530, 531, 514, D7/515, 553.4, 553.5, 553.6, 554.1, D7/553.7, 553.8, 554.2, 555, 543, 542, D7/545, 540, 546, 547, 548, 549, 552.1, D7/557, 566, 586, 587, 601, 602, 600.1, D7/600, 708.1, 708, 619.1, 620, 622, 632, D7/664, 400, 388, 701, 396.3, 533; D30/129, 130, 111, 112, 102; D11/143, D11/144, 153, 164, 1, 11, 37, 89; D32/54, D32/53.1, 73; 220/592.16, 592.17, 23.4, 220/23.83, 703; D9/554, 695, 433, 455, D9/456, 499, 430, 429, 428, 427, 426, D9/424, 441, 651, 600, 712, 414, 425; D3/201, 202; D10/46.2, 121, 119.3, D10/104.1; D26/20, 21, 22, 23, 16; D19/96, 97; 229/403, 400
CPC A47G 23/08; A47G 19/32; A47G 2019/2277; A47G 19/2216; A47G 19/2211; A47G 19/22; B65D 21/02; B65D 1/265; B65D 3/06; A45F 2003/205; A45F 3/20; G10K 5/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,739,451	A *	12/1929	Fowler	A63H 5/00 446/81
D113,508	S *	2/1939	Gross	D7/507
5,645,191	A *	7/1997	Neville	B65D 1/265 215/387
6,079,586	A *	6/2000	Hanneman	B65D 43/0212 206/217
D715,593	S *	10/2014	Anzalone	D7/509
D733,496	S *	7/2015	Pisarevsky	D7/507
D742,693	S *	11/2015	Spagnola	D7/507
2002/0195043	A1 *	12/2002	Stawski, Jr.	G10K 5/00 116/137 R
2005/0178774	A1 *	8/2005	Howell	A47G 19/2227 220/703
2008/0277404	A1 *	11/2008	Skala	A47G 19/2227 220/703

(Continued)

Primary Examiner — Marianne Pandozzi

Assistant Examiner — Jae Liang


(57) **CLAIM**

The ornamental design for a whistle glass, as shown and described.

DESCRIPTION

FIG. 1 is a top, front perspective view of a whistle glass showing my new design;
FIG. 2 is a front view of FIG. 1;
FIG. 3 is a rear view of FIG. 1;
FIG. 4 is a side view of FIG. 1;
FIG. 5 is a top view of FIG. 1; and,
FIG. 6 is a bottom view of FIG. 1.
The broken lines in the drawing depict portions of the whistle glass that form no part of the claimed design.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2010/0140211 A1* 6/2010 Becotte A63F 9/001
215/386
2010/0261403 A1* 10/2010 Shishido G10K 5/00
446/204
2012/0137956 A1* 6/2012 Cheng G10K 5/00
116/137 R

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6