



US00D782322S

(12) **United States Design Patent** (10) **Patent No.:** **US D782,322 S**
Van Kampen (45) **Date of Patent:** **** Mar. 28, 2017**

(54) **MITTEN SHAPED POUCH WITH SIDE POUR SQUEEZE SPOUT**

(71) Applicant: **Douglas Van Kampen**, Holland, MI (US)

(72) Inventor: **Douglas Van Kampen**, Holland, MI (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/541,726**

(22) Filed: **Oct. 7, 2015**

(51) **LOC (10) Cl.** **09-01**

(52) **U.S. Cl.**
USPC **D9/631; D9/624; D9/710**

(58) **Field of Classification Search**
USPC D9/600, 614, 624, 631, 702-714, 414, D9/434; 206/457, 459.5, 527;
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D118,220 S * 12/1939 Spanel D2/622
2,782,912 A * 2/1957 Humphrey B65D 81/36
206/361

(Continued)

Primary Examiner — Sandra Morris

(74) *Attorney, Agent, or Firm* — Gardner, Linn, Burkhardt and Flory, LLP

(57) **CLAIM**

The ornamental design for a mitten-shaped pouch with side pour squeeze spout, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a mitten-shaped pouch with side pour squeeze spout showing a first embodiment of my new design;

FIG. 2 is a front elevation of the mitten-shaped pouch with side pour squeeze spout of FIG. 1, wherein a rear elevation is a mirror image of FIG. 2;

FIG. 3 is a right side elevation of the mitten-shaped pouch with side pour squeeze spout of FIG. 1;

FIG. 4 is a left side elevation of the mitten-shaped pouch with side pour squeeze spout of FIG. 1;

FIG. 5 is a top plan view of the mitten-shaped pouch with side pour squeeze spout of FIG. 1;

FIG. 6 is a bottom plan view of the mitten-shaped pouch with side pour squeeze spout of FIG. 1;

FIG. 7 is a front perspective view of a mitten-shaped pouch with side pour squeeze spout showing a second embodiment of my new design with a portion for hanging;

FIG. 8 is a front elevation of the mitten-shaped pouch with side pour squeeze spout of FIG. 7, wherein a rear elevation is a mirror image of FIG. 8;

FIG. 9 is a right side elevation of the mitten-shaped pouch with side pour squeeze spout of FIG. 7;

FIG. 10 is a left side elevation of the mitten-shaped pouch with side pour squeeze spout of FIG. 7;

FIG. 11 is a top plan view of the mitten-shaped pouch with side pour squeeze spout of FIG. 7;

FIG. 12 is a bottom plan view of the mitten-shaped pouch with side pour squeeze spout of FIG. 7;

FIG. 13 is a front perspective view of a mitten-shaped pouch with side pour squeeze spout showing a third embodiment of my new design;

FIG. 14 is a front elevation of the mitten-shaped pouch with side pour squeeze spout of FIG. 13, wherein a rear elevation is a mirror image of FIG. 14;

FIG. 15 is a right side elevation of the mitten-shaped pouch with side pour squeeze spout of FIG. 13;

FIG. 16 is a left side elevation of the mitten-shaped pouch with side pour squeeze spout of FIG. 13;

FIG. 17 is a top plan view of the mitten-shaped pouch with side pour squeeze spout of FIG. 13;

FIG. 18 is a bottom plan view of the mitten-shaped pouch with side pour squeeze spout of FIG. 13;

FIG. 19 is a front perspective view of a mitten-shaped pouch with side pour squeeze spout showing a fourth embodiment of my new design with a wide bottom;

(Continued)




FIG. 20 is a front elevation of the mitten-shaped pouch with side pour squeeze spout of FIG. 19, wherein a rear elevation is a mirror image of FIG. 20;
 FIG. 21 is a right side elevation of the mitten-shaped pouch with side pour squeeze spout of FIG. 19;
 FIG. 22 is a left side elevation of the mitten-shaped pouch with side pour squeeze spout of FIG. 19;
 FIG. 23 is a top plan view of the mitten-shaped pouch with side pour squeeze spout of FIG. 19;
 FIG. 24 is a bottom plan view of the mitten-shaped pouch with side pour squeeze spout of FIG. 19;
 FIG. 25 is a front perspective view of a mitten-shaped pouch with side pour squeeze spout showing a fifth embodiment of my new design;
 FIG. 26 is a front elevation of the mitten-shaped pouch with side pour squeeze spout of FIG. 25, wherein a rear elevation is a mirror image of FIG. 26;
 FIG. 27 is a right side elevation of the mitten-shaped pouch with side pour squeeze spout of FIG. 25;
 FIG. 28 is a left side elevation of the mitten-shaped pouch with side pour squeeze spout of FIG. 25;
 FIG. 29 is a top plan view of the mitten-shaped pouch with side pour squeeze spout of FIG. 25;
 FIG. 30 is a bottom plan view of the mitten-shaped pouch with side pour squeeze spout of FIG. 25;
 FIG. 31 is a front perspective view of a mitten-shaped pouch with side pour squeeze spout showing a sixth embodiment of my new design with an elongated and wide bottom;
 FIG. 32 is a front elevation of the mitten-shaped pouch with side pour squeeze spout of FIG. 31, wherein a rear elevation is a mirror image of FIG. 32;
 FIG. 33 is a right side elevation of the mitten-shaped pouch with side pour squeeze spout of FIG. 31;

FIG. 34 is a left side elevation of the mitten-shaped pouch with side pour squeeze spout of FIG. 31;
 FIG. 35 is a top plan view of the mitten-shaped pouch with side pour squeeze spout of FIG. 31; and,
 FIG. 36 is a bottom plan view of the mitten-shaped pouch with side pour squeeze spout of FIG. 31.
 In the drawings, broken lines and dash-dot lines form no part of the claimed design.

1 Claim, 12 Drawing Sheets

(58) **Field of Classification Search**

USPC 215/381-384, 400; 220/288; D2/622;
 D7/514-521, 599, 604, 613, 619.2, 623,
 D7/628
 CPC B65D 5/4258; B65D 81/60; B65D 81/365;
 B65D 81/366; B65D 81/368; B65D
 2203/00; B65D 2203/02
 See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D417,939	S	*	12/1999	Grinberg	D2/622
D450,575	S	*	11/2001	Porter	D9/624
D491,464	S	*	6/2004	Porwit	D9/624
D517,696	S	*	3/2006	Jones	D2/622
D551,551	S	*	9/2007	Woolery	D9/624
D561,607	S	*	2/2008	Caudill	D9/624
D666,921	S	*	9/2012	Gallagher	D9/709
D699,582	S	*	2/2014	Baum	D9/624

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 14




FIG. 13




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 26




FIG. 25




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35



FIG. 36