



US00D782342S

(12) **United States Design Patent** (10) **Patent No.:** **US D782,342 S**
Dwivedula et al. (45) **Date of Patent:** **** Mar. 28, 2017**

(54) **APPARATUS FOR MONITORING STATUS OF TIME-SENSITIVE ARTICLES ASSOCIATED WITH TRACKING DEVICES**

Primary Examiner — Antoine D Davis
(74) *Attorney, Agent, or Firm* — Knobbe, Martens, Olson & Bear LLP

(71) Applicant: **VIVEO LABS, INC.**, Bala Cynwyd, PA (US)
(72) Inventors: **Ravi Shankar Venkata Dwivedula**, San Jose, CA (US); **Harris Gabriel Romanoff**, Bala Cynwyd, PA (US); **Daniel Kendall Harden**, Palo Alto, CA (US)

(57) **CLAIM**
The ornamental design for an apparatus for monitoring status of time-sensitive articles associated with tracking devices, as shown and described.

(73) Assignee: **VIVEO LABS, INC.**, East Palo Alto, CA (US)


DESCRIPTION

(**) Term: **14 Years**
(21) Appl. No.: **29/524,608**
(22) Filed: **Apr. 21, 2015**
(51) **LOC (10) Cl.** **10-04**
(52) **U.S. Cl.**
USPC **D10/52; D10/53; D10/106.1; D14/358; D14/453**
(58) **Field of Classification Search**
USPC D10/46, 52, 53, 106.1; D14/358, 453
CPC . G08B 21/18; G08B 3/00; G08B 5/36; G06Q 10/08; G06Q 10/0833; G06Q 10/087; G06Q 10/0875; G06Q 20/36; G06Q 30/0601; G06Q 30/0603; G06Q 30/0633; G06Q 30/0641; G06Q 30/0643
See application file for complete search history.

FIG. 1 is a right front perspective view of an apparatus, or portion thereof, for monitoring status of time-sensitive articles associated with tracking devices, showing our new design in a first embodiment;
FIG. 2 is an enlarged view of a camera in the encircled area labeled II in FIG. 1;
FIG. 3 is a front elevational view of the apparatus in the first embodiment, in a first display condition;
FIG. 4 is a front elevational view thereof, in a second display condition;
FIG. 5 is a front elevational view thereof, in a third display condition;
FIG. 6 is a front elevational view thereof, in a fourth display condition;
FIG. 7 is a front elevational view thereof, in a fifth display condition;
FIG. 8 is a front elevational view thereof, in a sixth display condition;
FIG. 9 is a front elevational view thereof, in a seventh display condition;
FIG. 10 is a front elevational view thereof, in an eighth display condition;
FIG. 11 is a front elevational view of the apparatus in a second embodiment;
FIG. 12 is a front elevational view of the apparatus in a third embodiment; and,
FIG. 13 is a front elevational view of the apparatus in a fourth embodiment.

(56) **References Cited**
U.S. PATENT DOCUMENTS
D483,683 S * 12/2003 Brown D10/106.1
D683,634 S * 6/2013 Hayakawa D10/52
(Continued)

1 Claim, 13 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D708,977 S * 7/2014 Corso D10/106.1
D764,460 S * 8/2016 Veja D14/358

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13