



US00D782363S

(12) **United States Design Patent** (10) **Patent No.:** **US D782,363 S**
Postolek (45) **Date of Patent:** **** Mar. 28, 2017**

(54) **BUCKLE AND COMPONENT THEREOF**

(71) Applicant: **Filip Postolek**, Long Beach, CA (US)

(72) Inventor: **Filip Postolek**, Long Beach, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/559,197**

(22) Filed: **Mar. 25, 2016**

(51) **LOC (10) Cl.** **02-07**

(52) **U.S. Cl.**
USPC **D11/216**

(58) **Field of Classification Search**

USPC D11/200–219; 24/163 R, 169–171, 173,
24/177–179, 191, 194–195, 197, 200,
24/614–616, 625, 198, 578.11, 578.1,
24/163 K, 114, 307, 313
CPC A44B 11/26; A44B 11/25; A44B 11/06
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D296,310 S * 6/1988 Crowle D11/216
4,912,950 A 4/1990 Crowle
D329,210 S * 9/1992 Cullmann D11/216
5,144,725 A 9/1992 Krauss
D338,390 S * 8/1993 Akashi D11/216
D341,336 S * 11/1993 Stathis D11/216
5,311,649 A 5/1994 Suh
D352,680 S * 11/1994 Matoba D11/200
5,465,472 A 11/1995 Matoba
5,548,879 A 8/1996 Wu
5,774,956 A 7/1998 French et al.
5,933,925 A 8/1999 Anscher et al.
6,138,330 A 10/2000 Galbreath
6,145,172 A 11/2000 Bourdon
D459,273 S * 6/2002 Murata D11/216

D469,382 S * 1/2003 Schmitz D11/200
D478,023 S * 8/2003 Chen D11/216
6,871,517 B2 3/2005 Bonelli et al.
7,150,082 B2 12/2006 Beletsky
7,181,936 B2 2/2007 Christensen et al.
7,219,406 B2 5/2007 Chui et al.
7,725,993 B1 6/2010 Giampavolo

(Continued)

Primary Examiner — Ralf Seifert

(74) *Attorney, Agent, or Firm* — King & Schickli, PLLC

(57) **CLAIM**

The ornamental design for a buckle and component thereof,
as shown and described.

DESCRIPTION

FIG. 1 is a front view of the buckle, showing a lever in a first position;

FIG. 2 is a front view of the buckle, showing the lever in a second position;

FIG. 3 is a left side view of the buckle of FIG. 2;

FIG. 4 is a rear view of the buckle;

FIG. 5 is a rear perspective view of the buckle;

FIG. 6 is a top view of the buckle;

FIG. 7 is a bottom view of the buckle;

FIG. 8 is a perspective view of the buckle;

FIG. 9 is a front perspective view of a lever for a buckle;

FIG. 10 is a top view of the lever in a first position;

FIG. 11 is a top view of the lever in a second position;



FIG. 12 is a left side view of the lever of FIG. 9;

FIG. 13 is bottom view of the lever; and,

FIG. 14 is a top view of the lever.

The broken line depictions of a buckle in FIGS. 9-14 form no part of the design of those figures.

1 Claim, 6 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D638,332 S	*	5/2011	Fair	D11/216
D647,818 S	*	11/2011	Kaneko	D11/216
D667,338 S	*	9/2012	Kaneko	D11/216
D700,540 S	*	3/2014	Kaneko	D11/216
9,032,767 B2		5/2015	Takahashi	

* cited by examiner




FIG. 3




FIG. 2




FIG. 1




FIG. 5




FIG. 4




FIG. 6




FIG. 7




FIG. 9




FIG. 8




FIG. 12




FIG. 11




FIG. 10



FIG. 13



FIG. 14