

US00D782393S

(12) **United States Design Patent** (10) **Patent No.:** **US D782,393 S**
Hayashi (45) **Date of Patent:** **** Mar. 28, 2017**

(54) **TREAD OF AN AUTOMOBILE TIRE**

(71) Applicant: **BRIDGESTONE CORPORATION**,
Tokyo (JP)

(72) Inventor: **Shintaro Hayashi**, Tokyo (JP)

(73) Assignee: **BRIDGESTONE CORPORATION**,
Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/510,720**

(22) Filed: **Dec. 2, 2014**

(30) **Foreign Application Priority Data**

Jun. 3, 2014 (JP) 2014-011970

(51) **LOC (10) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/517**

(58) **Field of Classification Search**

USPC D12/505–532

CPC B60C 11/0302; B60C 11/0304; B60C

11/0306; B60C 11/0309; B60C 11/0311;

B60C 11/0318; B60C 11/0337; B60C

11/0339; B60C 11/042; B60C 11/00;

B60C 11/11; B60C 11/12; B60C 11/13

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D610,525 S * 2/2010 Behr D12/521
D643,359 S * 8/2011 Rau D12/521
D664,497 S * 7/2012 Sareen D12/531
D671,884 S * 12/2012 Youn D12/521
D675,975 S * 2/2013 Nakamura D12/531
D686,971 S * 7/2013 Nakamura D12/521
D720,681 S * 1/2015 Bindner D12/523
D721,030 S * 1/2015 Kato D12/517

D733,637 S * 7/2015 Kato D12/523
D735,127 S * 7/2015 Kato D12/605
D747,677 S * 1/2016 Hughes D12/517
D748,567 S * 2/2016 Kato D12/519
D750,010 S * 2/2016 Kato D12/519
9,409,447 B2 * 8/2016 Takahashi B60C 11/1236

(Continued)

FOREIGN PATENT DOCUMENTS

JP 1434399 S 2/2012

OTHER PUBLICATIONS

Design Gazette dated Jun. 22, 2015 from the Japanese Patent Office
published for Design Application No. 2014-11970.

Primary Examiner — Sandra Snapp

Assistant Examiner — Katherine Glennon

(74) *Attorney, Agent, or Firm* — Sughrue Mion, PLLC

(57) **CLAIM**

The ornamental design for a tread of an automobile tire, as
shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tread of an automobile tire
showing my design;

FIG. 2 is a front view thereof;

FIG. 3 is a top view thereof;

FIG. 4 is a right side view thereof;

FIG. 5 is a left side view thereof;



FIG. 6 is a fragmentary enlarged front view showing the
details of the tread portion thereof;

FIG. 7 is a section view taken along line 7-7 in FIG. 6; and,

FIG. 8 is a section view taken along line 8-8 in FIG. 6.

The broken lines illustrate portions of the tread, shoulder,
sidewall, liner, and bead of the tire, and form no part of the
claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2009/0272474 A1 * 11/2009 Nagai B60C 11/0318
152/209.18
2016/0297250 A1 * 10/2016 Hayashi B60C 11/0332

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

