



US00D782404S

(12) **United States Design Patent** (10) **Patent No.:** **US D782,404 S**
Dixon et al. (45) **Date of Patent:** **** Mar. 28, 2017**

(54) **TIRE**

(71) Applicant: **The Goodyear Tire & Rubber Company, Akron, OH (US)**

(72) Inventors: **Max Harold Dixon, Kent, OH (US); Robert John Hermann, Cuyahoga Falls, OH (US); Austin Gale Young, Wadsworth, OH (US)**

(73) Assignee: **The Goodyear Tire & Rubber Company, Akron, OH (US)**

(**) Term: **15 Years**

(21) Appl. No.: **29/529,012**

(22) Filed: **Jun. 3, 2015**

(51) **LOC (10) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/602**

(58) **Field of Classification Search**
USPC D12/568-604, 900
CPC B60C 1/0016; B60C 11/0306; B60C 11/0302; B60C 3/06; B60C 9/17
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D340,891 S	11/1993	Patel		D12/147
D384,611 S	10/1997	Harden, Jr.		D12/146
D386,133 S *	11/1997	Nakatsuji		D12/583
D388,369 S	12/1997	Harden, Jr.		D12/146
D427,552 S	7/2000	Young		D12/147
D442,897 S	5/2001	Cazin-Bourguignon		D12/147
		et al.		D12/146
D444,740 S	7/2001	Le et al.		D12/602
D457,128 S	5/2002	Robert et al.		D12/582
D457,855 S *	5/2002	Bawin		D12/582

D472,202 S *	3/2003	Gillard		D12/583
D517,468 S	3/2006	Le et al.		D12/566
D528,500 S	9/2006	Le et al.		D12/600

(Continued)

Primary Examiner — Robert M Spear

Assistant Examiner — John Voytek

(74) *Attorney, Agent, or Firm* — Robert N. Lipcsik

(57) **CLAIM**

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire showing our design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof; the opposite side elevational view being identical thereto;

FIG. 4 is an enlarged fragmentary front elevational view thereof;


FIG. 5 is a perspective view of a second embodiment of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread and that the opposite side view is identical thereto; and,

FIG. 6 is a front elevational view of a second embodiment, it being understood that an enlarged fragmentary view thereof would be substantially identical to that shown in FIG. 4, with the exception of the inclusion of the sidewall in the claim.

In the drawings, the broken lines showing of the sidewall, inner bead and the peripheral boundary between the tire tread and the sidewall in FIGS. 1 through 4 depict environmental subject matter and form no part of the claimed design.

The dark stippled surface shading represents the recessed portion of the tread grooves having a depth as best shown in FIG. 2.

1 Claim, 6 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D537,033 S	2/2007	Dumigan et al.	D12/602
D586,732 S *	2/2009	Heinen	D12/582
D591,227 S	4/2009	Seibert et al.	D12/602
D592,590 S	5/2009	Janesh et al.	D12/600
D598,370 S	8/2009	Beha	D12/602
D601,085 S	9/2009	Janesh et al.	D12/600
D604,228 S	11/2009	Le et al.	D12/582
D604,229 S *	11/2009	Le	D12/582
D614,121 S	4/2010	Janesh et al.	D12/597
D641,314 S	7/2011	Strader et al.	D12/602
D647,040 S	10/2011	Mathonet et al.	D12/588
D667,363 S	9/2012	Kudo	D12/584
D674,739 S	1/2013	Georges et al.	D12/586
D686,566 S	7/2013	Maus et al.	D12/594
D702,180 S	4/2014	Le et al.	D12/588
D735,642 S *	8/2015	Miyazaki	D12/583

* cited by examiner




FIG-1




FIG-2




FIG-3




FIG-4




FIG-5




FIG-6