



US00D782459S

(12) **United States Design Patent**
Shannon, III

(10) **Patent No.:** **US D782,459 S**
(45) **Date of Patent:** **** *Mar. 28, 2017**


- (54) **COOLING DEVICE FOR ELECTRONIC DEVICE**
 - (71) Applicant: **BobjGear, LLC**, Clermont, FL (US)
 - (72) Inventor: **Robert James Shannon, III**, Clermont, FL (US)
 - (*) Notice: This patent is subject to a terminal disclaimer.
 - (**) Term: **15 Years**
 - (21) Appl. No.: **29/537,171**
 - (22) Filed: **Aug. 24, 2015**
 - (51) **LOC (10) Cl.** **14-03**
 - (52) **U.S. Cl.**
USPC **D14/250**
 - (58) **Field of Classification Search**
USPC D14/250, 341-347, 130, 138 C, 138 G, D14/138 R, 138 AA, 147, 203.1, 203.3, D14/203.7; D3/218; D13/179
CPC A45C 1/06; A45C 11/00; A45C 2011/002; A45C 3/02; A45F 2200/0525; A45F 2200/0516; A45F 5/02; G06F 1/165; G06F 1/1613; G06F 1/1624; G06F 1/1626; G06F 3/0485; G06F 3/0488; G06F 1/1632; G06F 1/1607; G06F 1/1628; G06F 1/1656; G06F 1/181; G06F 1/20; G06F 1/203; G06F 1/206; H04B 1/3888; H04B 1/00; H04B 1/3883; H04M 1/0202; H04M 1/0283; H04M 1/185; H04M 1/00; H04M 1/0214; H04M 1/035; H04M 1/04; H01M 10/46; H01M 2/1022; H05K 5/0217; H05K 5/03; H05K 7/00; H05K 5/0086; H05K 7/20; H05K 5/0213; H05K 7/2039; H05K 5/00; H05K 7/20509; B29C 45/1676; H02J 7/00; H04Q 7/32;
- (Continued)

- (56) **References Cited**
U.S. PATENT DOCUMENTS
6,115,252 A * 9/2000 Ohta G06F 1/203
165/80.4
D555,162 S * 11/2007 Park D14/447
D605,141 S * 12/2009 Jones D13/179
(Continued)
Primary Examiner — Freda S Nunn

(57) **CLAIM**
The ornamental design for a cooling device for electronic device, as shown and described.

DESCRIPTION
This application is related to commonly assigned, co-filed U.S. Utility patent application Ser. No. 14/833,399, by petitioner and entitled "Cooling Device for Electronic Device," which is hereby incorporated herein by reference in its entirety.
FIG. 1 is a front perspective view of a cooling device for electronic device comprising the new design;
FIG. 2 is an enlarged view of a section of the design as indicated in FIG. 1;
FIG. 3 is a front view of the design of FIG. 1;
FIG. 4 is a back view of the design of FIG. 1;
FIG. 5 is an enlarged cross-sectional view of a portion of the design of FIG. 1 as indicated in FIG. 4;
FIG. 6 is a left view of the design of FIG. 1;
FIG. 7 is a right view of the design of FIG. 1;
FIG. 8 is a bottom view of the design of FIG. 1; and,
FIG. 9 is a top view of the design of FIG. 1.
The broken lines shown in the figures represent environment only and form no part of the claimed design.

1 Claim, 5 Drawing Sheets



(58) **Field of Classification Search**

CPC B65D 85/00; B65D 19/00; G03B 17/02;
B29L 2031/3437; F28F 3/02

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D685,358 S * 7/2013 Armstrong D14/250
8,624,111 B2 * 1/2014 Tages B29C 45/1676
174/50
9,075,570 B2 * 7/2015 Yuan G06F 1/1628
2003/0205369 A1 * 11/2003 Liu F28F 3/02
165/185
2013/0295836 A1 * 11/2013 Shannon, III H05K 5/0213
454/284
2014/0000844 A1 * 1/2014 Chandaria H05K 7/2039
165/80.2
2014/0092561 A1 * 4/2014 Chen G06F 1/181
361/720
2015/0195938 A1 * 7/2015 Witter H05K 5/03
206/521

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7



FIG. 8




FIG. 9