



US00D782479S

(12) **United States Design Patent**
Bruno et al.

(10) **Patent No.:** **US D782,479 S**

(45) **Date of Patent:** **** Mar. 28, 2017**

(54) **FINGERPRINT READER**

(56) **References Cited**

(71) Applicants: **Philip J. Bruno**, Oakland, CA (US);
Robert A. D. Schwartz, Oakland, CA
(US); **Paul Schwartz**, Oakland, CA
(US)

(72) Inventors: **Philip J. Bruno**, Oakland, CA (US);
Robert A. D. Schwartz, Oakland, CA
(US); **Paul Schwartz**, Oakland, CA
(US)

(**) Term: **15 Years**

(21) Appl. No.: **29/559,438**

(22) Filed: **Mar. 28, 2016**

(51) **LOC (10) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/384**

(58) **Field of Classification Search**
USPC D14/485, 486, 487, 488, 489, 490, 491,
D14/492, 493, 494, 495, 384; 715/509,
715/510, 528, 700, 703, 716, 717, 718,
715/719, 720, 721, 722, 726, 727, 730,
715/742, 744, 748, 762, 763, 764, 768,
715/769, 771, 773, 776, 780, 781, 783,
715/792, 793, 804, 805, 808, 809, 810,
715/811, 814, 817, 825, 828, 829, 831,
715/834, 835, 837, 838, 839, 840, 841,
715/842, 843, 845, 846, 862, 863, 864,
715/908, 961, 963; 345/173

CPC G06K 9/00006; G06K 7/0013; G06K
9/00026; G06F 21/00; G06Q 30/00

See application file for complete search history.

U.S. PATENT DOCUMENTS

D393,837 S *	4/1998	Umetsu	D14/384
D466,119 S *	11/2002	Funahashi	D14/384
D487,266 S *	3/2004	Morimiya	D14/384
D514,105 S *	1/2006	Ohta	D14/384
D516,069 S *	2/2006	Kuroda	D14/384
D522,510 S *	6/2006	Su	D14/384
D532,009 S *	11/2006	Zank	D14/342
D563,252 S *	3/2008	Minta	D10/104.1
D584,730 S *	1/2009	Lin	D14/383
D593,559 S *	6/2009	Lin	D14/384
D649,548 S *	11/2011	Szoke	D14/358
D715,800 S *	10/2014	Cornelison	D14/384
D741,862 S *	10/2015	Beroukhim	D14/384
D766,900 S *	9/2016	Beroukhim	D14/384
D771,043 S *	11/2016	Avetisov	D14/384

* cited by examiner

Primary Examiner — Austin Murphy

(74) *Attorney, Agent, or Firm* — Howard Cohen


(57) **CLAIM**

The ornamental design for a fingerprint reader, as shown.

DESCRIPTION

FIG. 1 is a perspective view of the fingerprint reader.
FIG. 2 is a top view of the fingerprint reader.
FIG. 3 is a front view of the fingerprint reader, the rear view
being a mirror view thereof.
FIG. 4 is a side view of the fingerprint reader, the opposite
side being a mirror view thereof; and,
FIG. 5 is a bottom view of the fingerprint reader.
The article is a fingerprint reader for use with a computer
keyboard.

1 Claim, 1 Drawing Sheet






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5