



US00D782706S

(12) **United States Design Patent** (10) **Patent No.:** **US D782,706 S**
Geldart (45) **Date of Patent:** **** Mar. 28, 2017**

(54) **EXTRUSION**

(71) Applicant: **Lite Guard Safety Solutions Pty Ltd.,**
Dromana (AU)

(72) Inventor: **Peter Anthony Geldart,** Dromana (AU)

(73) Assignee: **Lite Guard Safety Solutions Pty.,**
Victoria (AU)

(**) Term: **15 Years**

(21) Appl. No.: **29/527,574**

(22) Filed: **May 20, 2015**

(51) **LOC (10) Cl.** **25-01**

(52) **U.S. Cl.**
USPC **D25/119**

(58) **Field of Classification Search**

USPC D25/38.1, 39, 40, 41.1, 43, 44, 55, 102,
D25/117, 119–124, 126, 133, 136, 138,
D25/141, 148, 160, 164; D20/42, 43, 44;
D34/35; D8/395, 396; D6/329, 675.2,
D6/675.4, 675.5, 702, 709.2, 709.21,
D6/711.1, 712, 831, 843; 52/86, 88, 272,
52/273, 285.3, 287.1, 831, 843;
160/45–46, 48, 65, 66, 239, 240, 353,
160/354, 368.1, 369, 371–372, 377
CPC . E06B 1/36; E06B 1/702; E06B 1/366; E06B
1/524; E06B 1/68; E06B 1/006; E06B
1/04; E06B 1/26; E06B 1/28; E06B
2001/628; E06B 3/66; E06B 2003/2615
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D220,566 S * 4/1971 Weeks D25/119
D228,453 S * 9/1973 Greer D25/119

D259,364 S * 5/1981 Poth D25/124
D375,173 S * 10/1996 De Zen D25/119
D537,171 S * 2/2007 Lockbeam D25/124
D616,566 S * 5/2010 Desrosiers D25/122
D742,548 S * 11/2015 Singh D25/119
D750,807 S * 3/2016 Singh D25/121
D753,848 S * 4/2016 Gori D25/119

FOREIGN PATENT DOCUMENTS

AU 357789 9/2014

* cited by examiner

Primary Examiner — Cynthia Ramirez

Assistant Examiner — Llorellys Martinez-Rivera

(74) *Attorney, Agent, or Firm* — Woodard, Emhardt,
Moriarty, McNett & Henry LLP

(57) **CLAIM**

The ornamental design for an extrusion, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of an extrusion showing my new design;

FIG. 2 is an enlarged perspective view thereof, showing a detail of the grooves;

FIG. 3 is an end view thereof;

FIG. 4 is an enlarged elevation view thereof, showing a detail of the grooves;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof;


FIG. 7 is a front elevation view thereof; and,


FIG. 8 is a rear elevation view thereof.

The extrusion is shown with a symbolic break in its length.

The appearance of any portion of the extrusion between the break lines forms no part of the claimed design.

1 Claim, 6 Drawing Sheets








Fig. 2




Fig. 3




Fig. 4

Fig. 5




Fig. 6




Fig. 7




Fig. 8

