



US00D783219S

(12) **United States Design Patent** (10) **Patent No.:** **US D783,219 S**
Pato (45) **Date of Patent:** **** Apr. 4, 2017**

(54) **LIFTING DEVICE FOR LIGHT BOATS
ONTO LEISURE BOATS**

(71) Applicant: **Jollift AS**, Drammen (NO)

(72) Inventor: **Ilpo Juhani Pato**, Spikkestad (NO)

(73) Assignee: **Jollift AS** (NO)

(**) Term: **14 Years**

(21) Appl. No.: **29/520,378**

(22) Filed: **Mar. 13, 2015**

(30) **Foreign Application Priority Data**

Dec. 1, 2014 (NO) 20141122

(51) **LOC (10) Cl.** **12-05**

(52) **U.S. Cl.**
USPC **D34/28**

(58) **Field of Classification Search**

USPC D34/28; 211/182, 186, 187, 134, 188,
211/149, 150; 248/240, 242; 56/11.6,
56/11.8, DIG. 9, DIG. 18; 16/110.1,
16/112.1, 113.1, 114.1, 405, 505; D8/14;
37/244; 254/8 R, 88, 11, 84, 93 H, 89 R
CPC B25G 1/00; B25G 1/10; B25G 3/38; A47B
81/00; A47B 43/04; A47B 43/006; B65F
7/0641; B65F 7/0625; B65F 7/08

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,169,780 A * 2/1965 Runyan B62B 3/0625
108/57.15
D285,871 S * 9/1986 Stenwall D34/24
4,650,197 A * 3/1987 Norris B62B 1/14
180/8.2

D336,711 S * 6/1993 Miller D34/23
D371,662 S * 7/1996 Vosbikian D34/23
D401,714 S * 11/1998 Whiteside D34/23
5,863,053 A * 1/1999 Berry B25H 5/00
280/32.6
D426,930 S * 6/2000 De Deyne D34/28
D430,378 S * 8/2000 Worsoe D34/28
D456,583 S * 4/2002 Schmidt D34/28
D467,402 S * 12/2002 DiStaulo D34/28
D468,883 S * 1/2003 Asano D34/28
D471,337 S * 3/2003 Cooper D34/28
D473,692 S * 4/2003 Tafoya D34/28
D475,829 S * 6/2003 DiStaulo D34/28
D488,905 S * 4/2004 DiStaulo D34/28
D547,517 S * 7/2007 Hernandez D34/23
D556,972 S * 12/2007 Whiteside D34/23
D573,324 S * 7/2008 Hernandez D34/23
D662,273 S * 6/2012 Bayley D34/28
D748,360 S * 1/2016 Dahmer D34/28

* cited by examiner

Primary Examiner — Cynthia Ramirez

(74) *Attorney, Agent, or Firm* — Miskin & Tsui-Yip LLP;
Gloria Tsui-Yip, Esq.


(57) **CLAIM**

The ornamental design for a lifting device for light boats onto leisure boats, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a lifting device for light boats onto leisure boats showing my new design;
FIG. 2 is a rear side view thereof;
FIG. 3 is a front side view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a top plan view thereof;
FIG. 6 is a left side view thereof; and,
FIG. 7 is a right side view thereof.

1 Claim, 5 Drawing Sheets






Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7