



US00D783411S

(12) **United States Design Patent** (10) **Patent No.:** **US D783,411 S**  
**Sutherland** (45) **Date of Patent:** **\*\* Apr. 11, 2017**

(54) **DISPENSING DEVICE**  
(71) Applicant: **Spencer D. Sutherland**, Anaheim, CA  
(US)  
(72) Inventor: **Spencer D. Sutherland**, Anaheim, CA  
(US)

D347,995 S \* 6/1994 Schurig ..... D9/696  
D442,078 S \* 5/2001 Fuquen ..... D9/696  
D655,201 S \* 3/2012 Schuch ..... D9/707  
D658,505 S \* 5/2012 Garneau ..... D9/702  
D703,063 S \* 4/2014 Garrity ..... D9/695  
D703,064 S \* 4/2014 Warrington ..... D9/707

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/531,597**

(22) Filed: **Jun. 26, 2015**

(51) **LOC (10) Cl.** ..... **09-03**

(52) **U.S. Cl.**  
USPC ..... **D9/695**

(58) **Field of Classification Search**  
USPC ..... D9/702-714, 761, 731, 414, 418,  
D9/430-432, 520-521, 438, 695-699,  
D9/416, 737; D7/590, 600.1; 215/328;  
222/92, 105, 215, 145.1, 95, 183, 107;  
383/9, 22, 59-60, 901, 207, 209;  
D24/118, 108, 207, 104; 128/114.1,  
128/DIG. 24; D28/8.1, 4, 5; 239/34;  
510/192, 194, 220

CPC ..... B65D 75/00; B65D 75/40; B65D 75/44;  
B65D 75/527; B65D 1/00; B65D 1/02;  
B65D 1/0223; B65D 1/20; B65D 81/00;  
B65D 81/32; B65D 81/3205; B65D  
2501/0009; B65D 2501/0081

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D212,150 S \* 9/1968 Caliman ..... D9/696  
D248,732 S \* 8/1978 Vollmar ..... D9/697  
D262,942 S \* 2/1982 DiPisa, Sr. .... D24/115  
D318,795 S \* 8/1991 Christine ..... D9/696

**OTHER PUBLICATIONS**

Klocke Gruppe, Break-off packs. <http://www.klocke.com/en/Special-packaging/tiefziehpacks-2/abbrechpackungen-2.html>, accessed May 19, 2016.

\* cited by examiner

*Primary Examiner* — Abraham Bahta

(74) *Attorney, Agent, or Firm* — K&L Gates LLP; Louis C. Cullman; Georgia N. Kefallinos

(57) **CLAIM**

The ornamental design for a dispensing device, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a dispensing device illustrating my new design.

FIG. 2 is a top view of the dispensing device in FIG. 1.

FIG. 3 is a side view of the dispensing device in FIG. 1.

FIG. 4 is a back view of the dispensing device in FIG. 1; and,

FIG. 5 is a front view of the dispensing device in FIG. 1.

The broken lines are included for the purpose of illustrating environmental structure and form no part of the claimed design. Randomly dashed lines represent surface shading.

The dot-dash-dot-dash type broken lines are included to show the boundaries of the claimed design. The dotted lines are included to represent a perforation.

The dot-dash-dot-dash type broken lines are included to show the boundaries of the claimed design. The dotted lines are included to represent a perforation.


The dotted lines are included to represent a perforation.

The dotted lines are included to represent a perforation.


The dotted lines are included to represent a perforation.


The dotted lines are included to represent a perforation.

**1 Claim, 3 Drawing Sheets**




*FIG. 1*







*FIG. 2*



*FIG. 3*



*FIG. 4*



*FIG. 5*