



US00D783507S

(12) **United States Design Patent** (10) **Patent No.:** **US D783,507 S**
Raatikainen et al. (45) **Date of Patent:** **** Apr. 11, 2017**

(54) **TIRE TREAD**

(71) Applicants: **Jouni Juhani Raatikainen**, Lempäälä (FI); **Henri Sakari Kossi**, Nokia (FI); **Marko Christer Johannes Ylitolva**, Nokia (FI)

(72) Inventors: **Jouni Juhani Raatikainen**, Lempäälä (FI); **Henri Sakari Kossi**, Nokia (FI); **Marko Christer Johannes Ylitolva**, Nokia (FI)

(73) Assignee: **BLACK DONUTS ENGINEERING OY**, Pirkkala (FI)

(**) Term: **15 Years**

(21) Appl. No.: **29/546,676**

(22) Filed: **Nov. 24, 2015**

(30) **Foreign Application Priority Data**

May 29, 2015 (EM) 002710376-0001

(51) **LOC (10) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/523**

(58) **Field of Classification Search**
USPC D12/519–532, 586–603, 551–567, 145, D12/900, 901
CPC B60C 1/0016; B60C 11/0302–11/0318; B60C 11/11–11/13; B60C 3/06; B60C 9/17; B60C 2200/10
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D310,803 S * 9/1990 Hasegawa D12/590
D624,871 S * 10/2010 Behr D12/519
D647,456 S * 10/2011 Behr D12/519
D656,083 S * 3/2012 Mukai D12/519

D702,627 S 4/2014 Raatikainen et al.
D721,322 S 1/2015 Raatikainen et al.
D733,038 S 6/2015 Raatikainen et al.
D738,287 S * 9/2015 Raatikainen D12/521
D758,285 S * 6/2016 Wen D12/523
D769,793 S * 10/2016 Haanketo D12/523
2016/0152092 A1 * 6/2016 Sasaki B60C 11/0302
152/209.18

OTHER PUBLICATIONS

Design U.S. Appl. No. 29/530,655, filed Jun. 18, 2015, entitled Tire Tread, Inventors: Raatikainen et al.
Design U.S. Appl. No. 29/530,658, filed Jun. 18, 2015, entitled Tire Tread, Inventors: Raatikainen et al.
Design U.S. Appl. No. 29/530,662, filed Jun. 18, 2015, entitled Tire Tread, Inventors: Raatikainen et al.

* cited by examiner

Primary Examiner — Cathron Brooks

Assistant Examiner — Ian Whitmore

(74) *Attorney, Agent, or Firm* — Thompson Hine LLP

(57) **CLAIM**

The ornamental design for tire tread, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire tread showing our new design;

FIG. 2 is a front view thereof;



FIG. 3 is a right side view thereof;

FIG. 4 is a left side view thereof; and,

FIG. 5 is an enlarged partial view of FIG. 2.

The long-dashed lines illustrate the sidewalls and inner bead of a tire. The short-dashed lines in FIG. 5 show the visual limits of a portion isolated and enlarged for clarity of disclosure. The dashed lines form no part of the claimed design.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5