



US00D783583S

(12) **United States Design Patent**  
**Moon et al.**

(10) **Patent No.:** **US D783,583 S**  
(45) **Date of Patent:** **\*\* Apr. 11, 2017**

(54) **WIRELESS REPEATER**

(71) Applicant: **Samsung Electronics Co., Ltd.**,  
Suwon-si (KR)

(72) Inventors: **Ji-Hyun Moon**, Gwangmyeong-Si  
(KR); **Eun-Ae Lee**, Seoul (KR);  
**Moon-Jung Jang**, Gunpo-si (KR)

(73) Assignee: **SAMSUNG ELECTRONICS CO.,**  
**LTD**, Gyeonggi-Do (KR)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/546,508**

(22) Filed: **Nov. 23, 2015**

(30) **Foreign Application Priority Data**

Aug. 13, 2015 (KR) ..... 30-2015-0040904

(51) **LOC (10) Cl.** ..... **14-03**

(52) **U.S. Cl.**  
USPC ..... **D14/240**

(58) **Field of Classification Search**  
USPC ..... D14/240, 242, 349, 353, 354, 357, 358,  
D14/125, 140-140.9, 155, 137, 139, 243,  
D14/239, 433, 496, 188, 348, 351, 356;  
D10/104.1

CPC ..... H04L 12/00; H03K 17/00; H04W 88/00;  
H04W 88/005; H04W 88/02; H04W  
88/08; H04W 88/085; H04W 88/10;  
H04W 88/12; H04W 88/14; H04B 1/38

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D347,218 S \* 5/1994 Shuler ..... D14/137  
D489,041 S \* 4/2004 Chen ..... D13/184  
D579,931 S \* 11/2008 Chang ..... D14/242

D593,973 S \* 6/2009 Cho ..... D14/125  
D641,343 S \* 7/2011 Kim ..... D14/240  
D654,075 S \* 2/2012 Wu ..... D14/358  
D682,829 S \* 5/2013 Wu ..... D14/240

(Continued)

**FOREIGN PATENT DOCUMENTS**

CN 303239596 \* 6/2015  
IN 277757-0001 \* 4/2016

(Continued)

**OTHER PUBLICATIONS**

Uber Signal. <URL: <http://www.ubersignal.com/hawking-howabn1-hi-gain-outdoor-wireless-300n-multifunction-access-point.html>.> Visited Oct. 24, 2016. Multifunction Access Point.\*

*Primary Examiner* — Bridget L Eland

*Assistant Examiner* — Lauren McVey

(74) *Attorney, Agent, or Firm* — Cantor Colburn LLP

(57) **CLAIM**


The ornamental design for a wireless repeater, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a wireless repeater, showing our new design;  
FIG. 2 is a front view thereof;  
FIG. 3 is a rear view thereof;  
FIG. 4 is a side view thereof;  
FIG. 5 is another side view thereof;  
FIG. 6 is a top view thereof;  
FIG. 7 is a bottom view thereof; and,  
FIG. 8 is an enlarged view of the encircled portion 8 in FIG. 1.

The evenly spaced broken lines are directed to environment while the dot-dash broken lines are used to identify the portion of the partially enlarged view for reference purposes only.

**1 Claim, 7 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D697,901 S	*	1/2014	Gao .....	D14/240
D731,997 S	*	6/2015	Brenwald .....	D14/155
D733,708 S	*	7/2015	Chen .....	D14/358
D742,374 S	*	11/2015	Terasawa .....	D14/240
D752,564 S	*	3/2016	Olivier .....	D14/242
D752,565 S	*	3/2016	Olivier .....	D14/242

FOREIGN PATENT DOCUMENTS

IN	277758-0001	*	4/2016
KR	300851124.0000	*	4/2016
KR	300852694.0000	*	4/2016
WO	D070400-001	*	8/2008
WO	D092408-001	*	9/2016

\* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

