



US00D783613S

(12) **United States Design Patent**
Maus et al.

(10) **Patent No.:** **US D783,613 S**
(45) **Date of Patent:** **** Apr. 11, 2017**

(54) **UNIVERSAL SERIAL BUS DATA KEY WITH CHIP INTERFACE**

D648,722 S * 11/2011 Meyerhoffer D14/341
D686,214 S * 7/2013 Maus D14/436
D718,307 S * 11/2014 Ozolins D14/383

(71) Applicants: **Christopher Maus**, Sandpoint, ID (US); **Brandon Maus**, Sandpoint, ID (US)

(Continued)

(72) Inventors: **Christopher Maus**, Sandpoint, ID (US); **Brandon Maus**, Sandpoint, ID (US)

OTHER PUBLICATIONS

http://en.wikipedia.org/wiki/Smart_card, Relevant portion published at least as early as Sep. 11, 2008.

(Continued)

(73) Assignee: **uQontrol, Inc.**, Sandpoint, ID (US)

Primary Examiner — Austin Murphy

(**) Term: **14 Years**

(74) *Attorney, Agent, or Firm* — Mehrman Law Office; Michael J. Mehrman

(21) Appl. No.: **29/518,154**

(57) **CLAIM**

(22) Filed: **Feb. 20, 2015**

The ornamental design for a universal serial bus data key with chip interface, as shown and described herein.

(51) **LOC (10) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/383**

(58) **Field of Classification Search**
USPC D14/300–302, 313, 314, 341, 348–370, D14/383, 385, 432, 436, 496, 125, 135, D14/134, 155, 167, 168, 230, 231, 233, D14/235, 237, 240–242, 299; D10/65, D10/75, 78; D13/103, 149, 162, 184, D13/199; D18/4.4–4.6, 12.1, 56; 361/679.31–679.45, 752; 711/100, 115; 382/115, 124
CPC G06F 21/32; G06F 21/35; G06F 21/445; G06F 21/6209; G06K 9/00885
See application file for complete search history.

DESCRIPTION


FIG. 1 is a perspective view of a universal serial bus data key with chip interface.
FIG. 2 is a front view of the universal serial bus data key with chip interface.
FIG. 3 is a rear view of the universal serial bus data key with chip interface.
FIG. 4 is a right side view of the universal serial bus data key with chip interface.
FIG. 5 is a left side of the universal serial bus data key with chip interface.
FIG. 6 is a top view of the universal serial bus data key with chip interface; and,
FIG. 7 is a bottom view of the universal serial bus data key with chip interface.
The broken lines shown in the drawings represent portions of the universal serial bus data key with chip interface that form no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D508,245 S * 8/2005 Ozolins D14/383
D535,992 S * 1/2007 Ozolins D14/383
D586,346 S * 2/2009 Robinson D14/383
D589,516 S * 3/2009 Anglin D14/383
D616,439 S * 5/2010 Mugica D14/383

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D733,138 S * 6/2015 Moammer D14/203.7

OTHER PUBLICATIONS

https://www.google.com/search?q=usb+key&biw=1150&bih=524&source=lnms&tbm=isch&sa=X&ved=0ahUKEwia0uXDrbDPAhVEIB4KHWf5AT8Q_
AUIBygC, Relevant portion published at least as early as Aug. 11, 2012.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 5




FIG. 4




FIG. 6




FIG. 7