



US00D783815S

(12) **United States Design Patent** (10) **Patent No.:** **US D783,815 S**
Lewis et al. (45) **Date of Patent:** **** Apr. 11, 2017**

(54) **MALE DUAL LUMEN BAYONET CONNECTOR**

(56) **References Cited**

U.S. PATENT DOCUMENTS

(71) Applicant: **General Electric Company**,
Schenectady, NY (US)

(72) Inventors: **Peter D. Lewis**, Fort Collins, CO (US);
Ravikumar Narayanan, Fort Collins,
CO (US); **Richard W. Cairns**,
Longmont, CO (US); **Riley M. Phipps**,
Fort Collins, CO (US)

235,580 A	12/1880	Smith et al.
4,290,434 A	9/1981	Jewett
4,331,177 A	5/1982	Makishima
4,501,280 A	2/1985	Hood, Jr.
4,576,359 A	3/1986	Oetiker
4,753,268 A	6/1988	Palau
4,982,736 A	1/1991	Schneider
5,052,725 A	10/1991	Meyer et al.
5,201,552 A	4/1993	Hohmann et al.

(Continued)

(73) Assignee: **General Electric Company**,
Schenectady, NY (US)

Primary Examiner — David Muller

(**) Term: **15 Years**

(74) *Attorney, Agent, or Firm* — Andrus Intellectual
Property Law, LLP

(21) Appl. No.: **29/552,235**

(57) **CLAIM**

(22) Filed: **Jan. 21, 2016**

What is claimed is the ornamental design for a male dual lumen bayonet connector, substantially as shown and described.

Related U.S. Application Data

(63) Continuation of application No. 12/976,921, filed on Dec. 22, 2010, now Pat. No. 9,388,929, and a continuation-in-part of application No. 29/351,665, filed on Dec. 9, 2009, now Pat. No. Des. 649,240.

(51) **LOC (10) Cl.** **24-02**

(52) **U.S. Cl.**
USPC **D24/129**

(58) **Field of Classification Search**

USPC D24/127–131, 112–114, 133, 186;
606/181, 185; 604/264, 523–528, 272,
604/187, 158, 164.01–164.11, 181, 184,
604/227; 600/101, 139, 143; 128/200.24,
128/207.14, 207.15
CPC A61M 25/00; A61M 39/00; A61M 27/00;
A61M 25/0043; A61M 25/0067; A61M
25/0097; A61F 2/958

See application file for complete search history.

DESCRIPTION

FIG. 1 is a front isometric view taken from the top, left side of a male dual lumen bayonet connector.

FIG. 2 is a rear isometric view of the male dual lumen bayonet connector of FIG. 1 taken from the top, right side.

FIG. 3 is a front elevation view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a rear elevation view thereof;


FIG. 6 is a left side elevation view thereof;

FIG. 7 is a right side elevation view thereof; and,

FIG. 8 is a top plan view thereof.

The features shown in broken lines depict environmental structure only and form no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D388,876	S	*	1/1998	Sampson	D24/129
5,938,244	A		8/1999	Meyer	
6,095,983	A		8/2000	Wawro	
6,682,547	B2		1/2004	McEwen et al.	
D488,866	S	*	4/2004	O'Dell	D24/129
D523,553	S	*	6/2006	Beck	D24/111
7,753,415	B2		7/2010	Tiberghien et al.	
D649,240	S	*	11/2011	Lewis	D24/129
D699,840	S	*	2/2014	Lombardi, III	D24/129
D701,304	S	*	3/2014	Lair	D24/129
D707,355	S	*	6/2014	Bow	D24/129
D728,780	S	*	5/2015	Pieroni	D24/112
D749,723	S	*	2/2016	Chauvette	D24/129
D756,512	S	*	5/2016	Oberlaender	D24/133
D771,806	S	*	11/2016	Steele	D24/129
D773,658	S	*	12/2016	Bow	D24/129
D773,659	S	*	12/2016	Cain	D24/129

* cited by examiner




FIG.1




FIG.2




FIG.3




FIG.4




FIG. 5




FIG. 6




FIG.7




FIG.8