



US00D783906S

(12) **United States Design Patent**
Choi

(10) **Patent No.:** **US D783,906 S**

(45) **Date of Patent:** **** Apr. 11, 2017**

- (54) **RUBBER GLOVE**
- (71) Applicant: **Song Yee Choi**, Seoul (KR)
- (72) Inventor: **Song Yee Choi**, Seoul (KR)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/539,477**
- (22) Filed: **Sep. 15, 2015**
- (51) **LOC (10) Cl.** **02-06**
- (52) **U.S. Cl.**
USPC **D29/117.1; D2/617**
- (58) **Field of Classification Search**
USPC D2/610, 611, 612, 613, 614, 615, 616,
D2/617, 618, 619, 620, 621, 622, 623;
D29/113, 114, 117.1, 118, 119, 122, 123;
D32/40, 41, 42, 43
CPC A41B 7/00; A41B 7/04; A41B 7/08; A41D
13/08; A41D 13/081; A41D 13/088;
A41D 19/00; A41D 19/0006; A41D
19/01; A41D 19/0013; A41D 19/0044;
A41D 19/0055; A41D 19/0058; A41D
19/0082; A41D 19/0089; A47K 7/02
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

829,739	A *	8/1906	Salve, Jr.	A41D 19/00	2/162
1,934,332	A *	11/1933	Skinner	A41D 19/0044	2/162
D95,467	S *	4/1935	Strauss	D2/619	
D100,821	S *	8/1936	Kovar	D2/620	
D101,927	S *	11/1936	Webster	D2/619	
D105,181	S *	6/1937	Postman	D2/620	
D161,938	S *	2/1951	Kennedy	D2/619	
D163,250	S *	5/1951	Breath	D2/619	

2,722,687	A *	11/1955	Nelson	A41D 19/0044	2/168
D191,494	S *	10/1961	Hoffstein	D2/616	
3,541,609	A *	11/1970	Howe	A41D 19/0062	2/168
4,095,293	A *	6/1978	Heavner	A41D 19/0062	2/168
4,464,796	A *	8/1984	Heissenberger ...	A41D 19/0062	2/162
D462,825	S *	9/2002	Kummings	D2/621	
D544,152	S *	6/2007	Lion	D2/610	
D612,996	S *	3/2010	Kishihara	D29/117.2	
D632,457	S *	2/2011	Schary	D2/621	
D648,918	S *	11/2011	Gledhill	D2/617	
D650,149	S *	12/2011	Ochi	D2/621	
D650,967	S *	12/2011	Hanada	D2/617	
D674,989	S *	1/2013	Kummings	D2/621	

(Continued)

Primary Examiner — Karen E. Eldridge Powers

Assistant Examiner — Jasmine Mlinarcik



(57) **CLAIM**

The ornamental design for a rubber glove, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a rubber glove of the present invention;
 FIG. 2 is a front elevation view of the rubber glove of FIG. 1;
 FIG. 3 is a rear elevation view of the rubber glove of FIG. 1;
 FIG. 4 is a left side elevation view of the rubber glove of FIG. 1;
 FIG. 5 is a right side elevation view of the rubber glove of FIG. 1;
 FIG. 6 is top plan view of the rubber glove of FIG. 1; and,
 FIG. 7 is a bottom plan view of the rubber glove of FIG. 1.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

8,400,256 B2 * 3/2013 Matthews A41D 19/0024
2/164
2014/0020152 A1 * 1/2014 Yang A41D 19/0013
2/163

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7