



US00D784117S

(12) **United States Design Patent** (10) **Patent No.:** **US D784,117 S**
Ferber et al. (45) **Date of Patent:** **** Apr. 18, 2017**

(54) **EARPHONE CORD HOLDER** D700,501 S * 3/2014 Ackerman D8/349
D719,013 S 12/2014 St. John et al.
(71) Applicant: **FKA Distributing Co., LLC,** D727,717 S 4/2015 Byrne et al.
Commerce Township, MI (US) D737,665 S 9/2015 Kwakkel
2005/0123164 A1 6/2005 Yao et al.
(72) Inventors: **Roman S. Ferber,** West Bloomfield, 2011/0147542 A1* 6/2011 Hoek F16L 3/223
MI (US); **Hing Wah Tsang,** Ajax (CA) 248/68.1
2011/0317865 A1 12/2011 Stevinson

(73) Assignee: **FKA Distributing Co., LLC,**
Commerce Township, MI (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/556,057**

(22) Filed: **Feb. 26, 2016**

Related U.S. Application Data

(62) Division of application No. 29/522,477, filed on Mar. 31, 2015, now Pat. No. Des. 753,469.

(51) **LOC (10) Cl.** **08-05**

(52) **U.S. Cl.**
USPC **D8/356**

(58) **Field of Classification Search**
USPC D8/356, 367, 354; D11/218
CPC F16B 1/00; F16B 2/20; Y10T 24/45199;
Y10T 24/3918; B60N 2/26; F16G 1/00;
H02G 3/24; H04R 1/1033
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D586,207 S *	2/2009	Giddings	D8/382
D590,702 S *	4/2009	Giddings	D8/382
D638,690 S *	5/2011	Hoek	D8/356
D638,691 S *	5/2011	Hoek	D8/356
D638,692 S *	5/2011	Hoek	D8/356
D639,145 S *	6/2011	Hoek	D8/356
D639,146 S *	6/2011	Hoek	D8/356
D640,527 S *	6/2011	Hoek	D8/356

FOREIGN PATENT DOCUMENTS

ES	1072246 U	6/2010
JP	5111087 A	4/1993
JP	2010148077 A2	7/2010
JP	2012136351 A2	7/2012

* cited by examiner

Primary Examiner — Cynthia Underwood

(74) *Attorney, Agent, or Firm* — Brooks Kushman P.C.


(57) **CLAIM**

The ornamental design for an earphone cord holder, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an earphone cord holder according to an embodiment;
FIG. 2 is a front side view of the earphone cord holder of FIG. 1;
FIG. 3 is a rear side view of the earphone cord holder of FIG. 1;
FIG. 4 is a left side view of the earphone cord holder of FIG. 1;
FIG. 5 is a right side view of the earphone cord holder of FIG. 1;
FIG. 6 is a top side view of the earphone cord holder of FIG. 1; and,
FIG. 7 is a bottom side view of the earphone cord holder of FIG. 1.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7