



US00D784168S

(12) **United States Design Patent**
Jacoby et al.

(10) **Patent No.:** **US D784,168 S**
(45) **Date of Patent:** **** Apr. 18, 2017**

(54) **TEMPERATURE CONTROL DEVICE**

(71) Applicant: **Lutron Electronics Co., Inc.**,
Coopersburg, PA (US)

(72) Inventors: **Elliot G. Jacoby**, Glenside, PA (US);
Jason C. Killo, Emmaus, PA (US);
Brad Michael Kreschollek, Bethlehem,
PA (US)

(73) Assignee: **Lutron Electronics Co., Inc.**,
Coopersburg, PA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/552,774**

(22) Filed: **Jan. 26, 2016**

Related U.S. Application Data

(63) Continuation of application No. 29/532,706, filed on
Jul. 9, 2015, now Pat. No. Des. 750,981, which is a
continuation of application No. 29/481,501, filed on
Feb. 6, 2014, now Pat. No. Des. 737,154.

(51) **LOC (10) Cl.** **10-04**

(52) **U.S. Cl.**
USPC **D10/50; D13/162.1**

(58) **Field of Classification Search**
USPC **D10/49, 50; D13/162, 162.1, 164, 171,**
D13/177

CPC . **F23N 5/20; F23N 5/203; F23N 5/206; F23N**
5/18; F23N 5/184; F23N 5/187; F23N
5/22; F23N 2025/12; F23N 2041/02;
F24F 11/00; F24F 11/0012; F24F
11/0009; F24F 11/001; F24F 2011/0057;
F24F 2011/0073; F24F 2011/0091

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,316,256 A 2/1982 Hendricks et al.
D309,268 S 7/1990 Wada et al.

D310,340 S 9/1990 Wada et al.
D364,573 S 11/1995 Pearsall
D436,930 S 1/2001 Butler
D453,742 S 2/2002 Butler et al.
D573,956 S 7/2008 Hollner et al.
D649,123 S 11/2011 Jacoby et al.
8,115,745 B2 * 2/2012 Gray G06F 3/04886
345/168
8,627,224 B2 * 1/2014 Dahl G06F 3/04886
345/173
D717,742 S 11/2014 Larkin et al.
(Continued)

OTHER PUBLICATIONS

U.S. Appl. No. 29/515,919 of Elliot G. Jacoby et al. filed Jan. 28,
2015 (unpublished).

(Continued)

Primary Examiner — Antoine D Davis

(74) *Attorney, Agent, or Firm* — Saidman DesignLaw
Group, LLC

(57) **CLAIM**

We claim the ornamental design for a temperature control
device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a temperature control device
according to a first embodiment of our new design.

FIG. 2 is a front view thereof.

FIG. 3 is a left side view thereof.


FIG. 4 is a right side view thereof.

FIG. 5 is a top view thereof; and,

FIG. 6 is a bottom view thereof.

The rear view forms no part of the design and is omitted. The
portions of the drawings appearing in broken lines represent
unclaimed structure and form no part of the claimed design.

1 Claim, 2 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D737,154 S * 8/2015 Jacoby D10/50
D750,981 S * 3/2016 Jacoby D10/50
2010/0229089 A1 9/2010 Narita

OTHER PUBLICATIONS

U.S. Appl. No. 29/515,921 of Elliot G. Jacoby et al. filed Jan. 28, 2015 (unpublished).

U.S. Appl. No. 29/515,922 of Elliot G. Jacoby et al. filed Jan. 28, 2015 (unpublished).

U.S. Appl. No. 29/515,924 of Elliot G. Jacoby et al. filed Jan. 28, 2015 (unpublished).

Bticino Spa, Matix Brochure, May 2009, 16 pages.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6