



US00D784257S

(12) **United States Design Patent** (10) **Patent No.:** **US D784,257 S**
Liden et al. (45) **Date of Patent:** **** Apr. 18, 2017**

(54) **FUEL SUPPLY DEVICE FOR FUEL CELL
BASED CHARGER**

(71) Applicant: **MyFC AB**, Stockholm (SE)

(72) Inventors: **Carl Johan Liden**, New York, NY
(US); **Brett Tobias Tom**, San Francisco,
CA (US)

(73) Assignee: **MYFC AB**, Stockholm (SE)

(**) Term: **15 Years**

(21) Appl. No.: **29/550,542**

(22) Filed: **Jan. 5, 2016**

(30) **Foreign Application Priority Data**

Jan. 4, 2016 (EM) 002933598

(51) **LOC (10) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/103**

(58) **Field of Classification Search**

USPC D13/102–106, 110, 188–119, 184, 199,
D13/107–109; 429/170, 176, 163,
429/96–100; D14/372, 356, 432
CPC Y02E 60/12; Y02E 60/122; Y02E 60/124;
Y02E 60/50; H02J 2007/0062; H02J
7/00; H02J 7/0003; H02J 7/0011; H02J
7/0013; H02J 7/0054; H02J 7/0055; H02J
7/0057; H01M 2200/30; H01M 2250/30;
H01M 2250/40; H01M 10/44; H01M
10/46; H01M 10/465; H01M 10/482;
H01M 10/4257; H01M 10/0436; H01M
10/48; H01M 2/20; H01M 2/202; H01M
2/206; H01M 2/02; H01M 2/022; H01M
2/0202; H01M 2/0207; H01M 2/0212;
H01M 2/1061; H01M 2/1022; H01M
2/1055; H01M 2/1066; H01M 2/105;
H01M 2/204

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D446,766	S	*	8/2001	Han		D13/103
D467,886	S	*	12/2002	Namaky		D13/184
D667,787	S	*	9/2012	Druker		D13/110
D724,013	S	*	3/2015	Zsolcsak		D13/103
D747,263	S	*	1/2016	Lafferty		D13/102

* cited by examiner

Primary Examiner — Rosemary K Tarcza

Assistant Examiner — Christy Nemeth

(74) *Attorney, Agent, or Firm* — Fox Rothschild LLP

(57) **CLAIM**

The ornamental design for a fuel supply device for fuel cell based charger, as shown and described.

DESCRIPTION

FIG. 1 is a front, bottom isometric view of a fuel supply device for fuel cell based charger according to the present invention.

FIG. 2 is a rear, bottom isometric view of the fuel supply device for fuel cell based charger of FIG. 1.

FIG. 3 is a front elevation view of the fuel supply device for fuel cell based charger of FIG. 1.

FIG. 4 is a rear elevation view of the fuel supply device for fuel cell based charger of FIG. 1.

FIG. 5 is a left side elevation view of the fuel supply device for fuel cell based charger of FIG. 1.



FIG. 6 is a right side elevation view of the fuel supply device for fuel cell based charger of FIG. 1.

FIG. 7 is a top plan view of the fuel supply device for fuel cell based charger of FIG. 1; and,

FIG. 8 is a bottom plan view of the fuel supply device for fuel cell based charger of FIG. 1.

The broken lines in the drawings illustrate elements of the fuel supply device for fuel cell based charger that form no part of the claimed design.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8