



US00D784336S

(12) **United States Design Patent**  
**Nishizawa**

(10) **Patent No.:** **US D784,336 S**  
(45) **Date of Patent:** **\*\* Apr. 18, 2017**

(54) **COORDINATE INPUT INSTRUMENT**

(71) Applicant: **Wacom Co., Ltd.**, Kazo-shi, Saitama (JP)

(72) Inventor: **Naoya Nishizawa**, Tokyo (JP)

(73) Assignee: **Wacom Co., Ltd.**, Kazo-shi (JP)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/565,948**

(22) Filed: **May 25, 2016**

(30) **Foreign Application Priority Data**

Nov. 30, 2015 (JP) ..... 2015-026662

(51) **LOC (10) Cl.** ..... **07-05**

(52) **U.S. Cl.**  
USPC ..... **D14/411**

(58) **Field of Classification Search**

USPC ..... D14/372, 496, 432, 371, 125, 126, 129,  
D14/299, 411; D16/300-342; 351/158,  
351/153, 144; 345/7-9, 905; 455/344;  
348/115, 53, 121, 739  
CPC ..... G02B 27/017; G06F 3/016; G06F 3/033;  
G06F 3/0317; G06F 3/03545; G06F  
3/041; G06K 9/222

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D472,240 S \* 3/2003 Seog ..... D14/411  
D527,007 S 8/2006 Morisawa  
7,671,850 B2 \* 3/2010 Fermgard ..... G06F 3/03545  
345/179  
D641,222 S \* 7/2011 Molina ..... D14/411  
D686,618 S \* 7/2013 Wilson ..... D14/411  
D704,188 S \* 5/2014 Leung ..... D14/411

D720,348 S \* 12/2014 Robinson ..... D14/411  
D749,173 S \* 2/2016 Walker ..... D19/180  
D771,047 S \* 11/2016 Martindale ..... D14/411  
D771,048 S \* 11/2016 Martindale ..... D14/411  
D772,875 S \* 11/2016 Kim ..... D14/411  
2003/0118394 A1 \* 6/2003 King ..... B41J 3/36  
401/195

**FOREIGN PATENT DOCUMENTS**

EM 001975509 3/2014  
KR 30-0670984 S 11/2012

\* cited by examiner

*Primary Examiner* — Austin Murphy

(74) *Attorney, Agent, or Firm* — Christensen O'Connor  
Johnson Kindness PLLC

(57) **CLAIM**


The ornamental design for a coordinate input instrument, as shown and described.


**DESCRIPTION**

FIG. 1 is a top front perspective view of a coordinate input instrument according to an embodiment of my new design; FIG. 2 is a bottom rear perspective view thereof; FIG. 3 is a top plan view thereof, wherein the bottom plan view of the coordinate input instrument is a mirror image of the top plan view; FIG. 4 is a right side elevation view thereof, wherein the left side elevation view of the coordinate input instrument is a mirror image of the right side elevation view; FIG. 5 is a front elevation view thereof; and, FIG. 6 is a rear elevation view thereof.


While the solid lines in the drawings form part of the claimed design, the solid lines also provide written description of prospective embodiments with aspects that are not claimed when one or more of the solid lines are amended to broken lines.

**1 Claim, 2 Drawing Sheets**






*Fig. 1.*




*Fig. 2.*




*Fig. 3.*



*Fig. 4.*



*Fig. 5.*



*Fig. 6.*