



US00D784513S

(12) **United States Design Patent**
Verdú

(10) **Patent No.:** **US D784,513 S**

(45) **Date of Patent:** **** Apr. 18, 2017**

- (54) **CONDOM**
- (71) Applicant: **José Luis Sánchez Verdú**, Alicante (ES)
- (72) Inventor: **José Luis Sánchez Verdú**, Alicante (ES)
- (**) Term: **15 Years**
- (21) Appl. No.: **35/500,189**
- (22) Filed: **Jun. 2, 2015**
- (80) **Hague Agreement Data**
 Int. Filing Date: **Jun. 2, 2015**
 Int. Reg. No.: **DM/087685**
 Int. Reg. Date: **Jun. 2, 2015**
 Int. Reg. Pub. Date: **Oct. 16, 2015**
- (51) **LOC (10) Cl.** **28-01**
- (52) **U.S. Cl.**
USPC **D24/105**
- (58) **Field of Classification Search**
 USPC D24/105, 106; D21/440; 128/842, 844,
 128/918; 604/347-353
 CPC A61F 6/00; A61F 6/06; A61F 6/04; A61F
 2006/041; A61F 2006/049
 See application file for complete search history.

- (56) **References Cited**
U.S. PATENT DOCUMENTS
 4,232,675 A * 11/1980 Meldahl A61F 6/04
 604/353
 D260,818 S * 9/1981 Okamoto D24/105
 5,458,936 A * 10/1995 Miller A61F 6/04
 128/844
 5,577,514 A * 11/1996 Zimmerman A61F 6/04
 128/844
 5,823,191 A * 10/1998 Cho A61F 6/04
 128/844
 5,836,307 A * 11/1998 Schöll A61F 6/04
 128/844

- 6,523,540 B1 * 2/2003 Harrison A61F 6/04
 128/844
- 7,434,581 B1 * 10/2008 Reddy A61F 6/04
 128/842
- D599,475 S * 9/2009 Osterberg D24/105
- 8,025,062 B2 * 9/2011 Osterberg A61F 6/04
 128/842
- D707,810 S * 6/2014 Nguyen D24/105
- D726,301 S * 4/2015 Sigel D24/105
- D737,422 S * 8/2015 Ward, Jr. II D24/105
- 2004/0118408 A1 * 6/2004 Wang A61F 6/04
 128/844
- 2010/0145141 A1 * 6/2010 Runyan A61F 5/41
 600/39
- 2012/0073580 A1 * 3/2012 Chuah A61F 6/04
 128/844
- 2012/0305004 A1 * 12/2012 Levy A61F 6/04
 128/844

(Continued)

Primary Examiner — Cynthia Ramirez

(57) **CLAIM**


The ornamental design for a condom, as shown and described.

DESCRIPTION

1. Condom
 1.1 : Perspective
 1.2 : Top
 1.3 : Back

Condom having a circular section with a body consisting of two compartments, front and back, joined by an annular zone with a diameter lower than the diameters of the body passage; said circular annular zone is concentric to the circle of the peripheral contour of the condom body, and may have a variable thickening so as to stick to the glans sulcus, preventing the passage of seminal fluid between the two compartments, so as to stop the condom from coming off in any situation; between the annular and body zones, the connected surfaces have an inclination between 0° and 45° with respect to the axis of the condom.

1 Claim, 3 Drawing Sheets



(56)


References Cited

U.S. PATENT DOCUMENTS


2013/0014764 A1* 1/2013 Rojas A61F 6/04
128/844
2014/0130806 A1* 5/2014 Kassman A61F 6/00
128/844
2015/0320586 A1* 11/2015 Nguyen A61F 6/04
128/844

* cited by examiner

1.1



1.2



1.3

