



US00D784546S

(12) **United States Design Patent**  
**Gordon**

(10) **Patent No.:** **US D784,546 S**

(45) **Date of Patent:** **\*\* Apr. 18, 2017**

(54) **SUPPORT BELT**

(71) Applicant: **Glenn Dale Gordon**, Atlanta, GA (US)

(72) Inventor: **Glenn Dale Gordon**, Atlanta, GA (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/539,275**

(22) Filed: **Sep. 11, 2015**

(51) **LOC (10) Cl.** ..... **24-04**

(52) **U.S. Cl.**  
USPC ..... **D24/190**

(58) **Field of Classification Search**  
USPC ..... D24/188-190, 200, 206; D21/683, 687,  
D21/688, 689; D29/100, 101.3, 101.5;  
D2/624, 627, 629, 634, 635  
CPC .... A61F 5/028; A61F 5/03; A61F 7/02; A61F  
5/34; A61H 2201/1628; A61H 2205/081;  
A41D 13/0525; A41D 13/0531; A41C  
1/08

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

5,122,111	A *	6/1992	Sebastian	.....	A61F 5/028 128/108.1
D353,890	S *	12/1994	McKeel	.....	D24/190
5,385,281	A	1/1995	Byrd		
5,489,051	A	2/1996	Robinson		
5,568,889	A	10/1996	Holloway, Jr. et al.		
5,626,272	A	5/1997	Klemansky		
5,693,066	A	12/1997	Rupp et al.		
5,695,104	A	12/1997	Darling		
D404,490	S *	1/1999	Tripolsky	.....	D24/190
D422,709	S *	4/2000	Caswell	.....	D2/624
6,073,823	A	6/2000	Gordon		
D499,846	S *	12/2004	Cesko	.....	D29/101.3
D626,244	S *	10/2010	Sagnip	.....	D24/190
D636,497	S *	4/2011	Giaccone	.....	D24/206
D638,948	S *	5/2011	Janzon	.....	D24/190
D657,063	S *	4/2012	Chiang	.....	D24/190
D660,439	S *	5/2012	Chen	.....	D24/190

D690,426 S \* 9/2013 Houston ..... D24/190  
D749,230 S \* 2/2016 Safko ..... D24/190  
2004/0077981 A1\* 4/2004 Weaver, II ..... A61F 5/028  
602/19

\* cited by examiner

*Primary Examiner* — George D Kirschbaum

*Assistant Examiner* — Jennifer Watkins

(74) *Attorney, Agent, or Firm* — Meunier Carlin & Curfman LLC

(57) **CLAIM**

The ornamental design for a support belt, as shown and described.

**DESCRIPTION**

FIG. 1 is a front, right-side perspective view of a support belt showing my new design in use.

FIG. 2 is a plan view of a first side thereof not in use.

FIG. 3 is a plan view of a second side thereof not in use.

FIG. 4 is a bottom, rear, and left-side perspective view thereof in use.

FIG. 5 is a front view thereof in use.

FIG. 6 is a rear view thereof in use.

FIG. 7 is a right side view thereof in use.

FIG. 8 is a left side view thereof in use.



FIG. 9 is a bottom view thereof in use; and,


FIG. 10 is a top view thereof in use.

The continuous S-shaped pattern shown in FIGS. 1-2 and 4-10 is meant to represent a loop fabric. The S-shaped pattern shown in FIG. 3 is meant to represent a hook fabric, and is further meant to be different from the loop fabric shown in FIGS. 1-2 and 4-10.


The broken lines in the figures are for the purpose of illustrating stitching and portions of the article and form no part of the claim.

**1 Claim, 10 Drawing Sheets**







**FIG. 1**




**FIG. 2**




**FIG. 3**




**FIG. 4**



**FIG. 5**




**FIG. 6**




**FIG. 7**






**FIG. 8**



**FIG. 9**



**FIG. 10**