



US00D784553S

(12) **United States Design Patent** (10) **Patent No.:** **US D784,553 S**
Onishi et al. (45) **Date of Patent:** **** Apr. 18, 2017**

(54) **BOTTLE**

(71) Applicant: **Beckman Coulter, Inc.**, Brea, CA (US)

(72) Inventors: **Hiroyuki Onishi**, Shizuoka (JP);
Masato Kayahara, Shizuoka (JP);
Hiroshi Suzuki, Shizuoka (JP);
Ryusuke Furuya, Shizuoka (JP); **Naoki Mukaiyama**, Shizuoka (JP); **Michael Cooney**, County Clare (IE); **Marcus O'Neill**, County Clare (IE); **Sean O'Mahony**, County Clare (IE)

(73) Assignees: **Beckman Coulter, Inc.**, Brea, CA (US); **DTIL Ireland Holdings Limited**, Dublin (IE)

(**) Term: **15 Years**

(21) Appl. No.: **29/547,318**

(22) Filed: **Dec. 2, 2015**

Related U.S. Application Data

(62) Division of application No. 29/491,994, filed on May 27, 2014, now Pat. No. Des. 747,813.

(51) **LOC (10) Cl.** **24-02**

(52) **U.S. Cl.**
USPC **D24/224**

(58) **Field of Classification Search**
USPC D24/216, 222-226, 231, 232, 121, 117;
D9/520-521, 523, 543, 563, 575, 530,
D9/517, 447, 449, 435, 440; 604/403;
422/400, 547, 556, 559, 430, 502, 550,
422/63, 562, 568; 435/288.1, 288.2,
435/288.4, 304.1, 304.2; 215/370-371,
215/375, DIG. 3, DIG. 8, 386; 222/571,
222/564; D23/200; 206/219; D7/376;
366/237

CPC ... A61J 1/10; A61J 9/00; G01N 31/22; G01N 35/00029; G01N 35/1004; B01L 2300/0816; B01L 3/50825; B01L 3/5082; B01L 3/08; B01L 3/502; B01L 3/5085; B01L 3/508; C12M 23/08; C12M 1/28; B65D 1/0223; B65D 51/002; B65D 47/40; B65D 47/06; A45F 3/16

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

4,078,700	A *	3/1978	Hidding	B65D 47/40 222/571
D277,937	S *	3/1985	Fortuna	D9/447
D287,638	S *	1/1987	Moore	D24/224
D290,400	S *	6/1987	Tong	D24/224
D291,730	S *	9/1987	Kelln	D24/224
D301,365	S *	5/1989	Gette	D23/200
D302,526	S *	8/1989	Ritter	D9/449
D305,360	S *	1/1990	Fechtner	D24/226
D309,015	S *	7/1990	Fechtner	D24/224

(Continued)

Primary Examiner — Ian Simmons

Assistant Examiner — Mark Cavanna

(74) *Attorney, Agent, or Firm* — K&L Gates LLP; Louis C. Cullman; Brian J. Novak

(57) CLAIM

The ornamental design for a bottle, as shown and described.



DESCRIPTION

FIG. 1 is a perspective view of a bottle illustrating my new design.

FIG. 2 is a rear perspective view of the bottle in FIG. 1; and, FIG. 3 is a top view of the bottle in FIG. 1.

Broken lines are included for the purpose of illustrating environmental structure and form no part of the currently claimed design.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

5,152,965 A * 10/1992 Fisk B01L 3/502
206/219
D342,140 S * 12/1993 Sakagami D24/224
D355,120 S * 2/1995 Hotz D9/447
D355,260 S * 2/1995 Tomasso D24/224
D357,183 S * 4/1995 Hotz D9/447
D358,219 S * 5/1995 Ushikubo D24/224
D358,770 S * 5/1995 Hotz D9/447
D358,771 S * 5/1995 Hotz D9/447
D363,354 S * 10/1995 Stark D24/224
D368,857 S * 4/1996 Hotz D9/447
5,547,275 A * 8/1996 Lillelund A47J 43/27
215/DIG. 8
D373,311 S * 9/1996 Hotz D9/447
5,597,090 A * 1/1997 Leahy B65D 47/06
222/571
D380,553 S * 7/1997 Riekkinen D24/224
D400,263 S * 10/1998 Shugart D24/224
D407,826 S * 4/1999 Yamazaki D24/224
6,059,443 A * 5/2000 Casey A45F 3/16
206/219

6,085,949 A * 7/2000 Zimny B65D 1/023
222/564
D433,149 S * 10/2000 Fassbind D24/223
D465,697 S * 11/2002 Renz D7/376
D502,268 S * 2/2005 Sakai D24/224
D507,351 S * 7/2005 Birnboim D24/216
D510,266 S * 10/2005 Walsh D9/447
D516,223 S * 2/2006 Smith D24/224
7,036,975 B2 * 5/2006 Renz A61J 9/00
215/386
D565,741 S * 4/2008 Vincent D24/216
D567,961 S * 4/2008 Yajima D24/232
D577,443 S * 9/2008 Parmer D24/224
7,731,414 B2 * 6/2010 Vincent B01F 11/0002
366/237
D630,765 S * 1/2011 Winkenbach D24/224
D632,402 S * 2/2011 Sattler D24/224
D634,441 S * 3/2011 Sattler D24/224
D644,741 S * 9/2011 Sattler D24/224
D656,622 S * 3/2012 Gasser D24/224
D705,061 S * 5/2014 Jo D9/435
D705,062 S * 5/2014 Jo D9/435
D715,146 S * 10/2014 Holmes D9/447
D751,394 S * 3/2016 Chartier D9/440

* cited by examiner





FIG. 1






FIG. 3