



US00D784596S

(12) **United States Design Patent**  
**Toso et al.**

(10) **Patent No.:** **US D784,596 S**  
(45) **Date of Patent:** **\*\* Apr. 18, 2017**

(54) **LIGHTING FIXTURE**

(71) Applicant: **ARTEMIDE S.p.A.**, Milan (IT)  
(72) Inventors: **Pio Toso**, Milan (IT); **Tito Toso**, Milan (IT)  
(73) Assignee: **ARTEMIDE S.p.A.** (IT)  
(\*\*) Term: **15 Years**

(21) Appl. No.: **29/540,962**

(22) Filed: **Sep. 29, 2015**

(30) **Foreign Application Priority Data**

Mar. 31, 2015 (EM) ..... 002673467

(51) **LOC (10) Cl.** ..... **26-03**

(52) **U.S. Cl.**  
USPC ..... **D26/88; D26/130**

(58) **Field of Classification Search**  
USPC ..... D26/72, 84, 85, 88, 118, 123, 131, 134  
CPC .... F21S 8/06; F21S 8/061; F21S 8/063; F21S 8/068

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D36,868 S \* 4/1904 Gleason ..... D26/130  
D43,969 S \* 5/1913 Rhader ..... D26/131  
1,214,863 A \* 2/1917 Woeste ..... G02B 5/10  
D26/131  
D63,887 S \* 2/1924 Dickerson ..... D26/131  
D73,182 S \* 8/1927 Kasch ..... D26/130  
D85,629 S \* 11/1931 Wing ..... D26/88  
2,271,836 A \* 2/1942 Francis ..... F21V 3/00  
362/344

(Continued)

**OTHER PUBLICATIONS**

Meteorite suspension lamp shown on pp. 372 and 373 of the Artemide Design/ 2015 catalog. (3 pages).\*

*Primary Examiner* — Clare E Heflin  
(74) *Attorney, Agent, or Firm* — The Belles Group, P.C.



(57) **CLAIM**

The ornamental design for a lighting fixture, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a lighting fixture in accordance with a first embodiment of the present invention; FIG. 2 is a front view thereof; FIG. 3 is a left-side view thereof; FIG. 4 is a right-side view thereof; FIG. 5 is a rear view thereof; FIG. 6 is a top view thereof; FIG. 7 is a bottom view thereof; FIG. 8 is a perspective view of a lighting fixture in accordance with a second embodiment of the present invention; FIG. 9 is a front view thereof; FIG. 10 is a left-side view thereof; FIG. 11 is a right-side view thereof; FIG. 12 is a rear view thereof; FIG. 13 is a top view thereof; FIG. 14 is a bottom view thereof; FIG. 15 is a perspective view of a lighting fixture in accordance with a third embodiment of the present invention; FIG. 16 is a front view thereof; FIG. 17 is a left-side view thereof; FIG. 18 is a right-side view thereof; FIG. 19 is a rear view thereof; FIG. 20 is a top view thereof; and, FIG. 21 is a bottom view thereof.

**1 Claim, 21 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

2,629,044	A	*	2/1953	Marfisi	.....	G09F 13/00
						D26/88
D237,003	S	*	9/1975	Jahandideh	.....	D26/130
D238,952	S	*	2/1976	Karkaev et al.	.....	D11/121
D280,446	S	*	9/1985	Ishii	.....	D26/130
D379,550	S	*	5/1997	Kuo	.....	D26/118
D422,376	S	*	4/2000	Yoshikawa	.....	D26/130
D559,427	S	*	1/2008	Zupan	.....	D26/84
D559,428	S	*	1/2008	Kravitz	.....	D26/84
D597,243	S	*	7/2009	Trumble	.....	D26/84
D639,989	S	*	6/2011	Chen	.....	D26/130
D650,122	S	*	12/2011	Chen	.....	D26/130
D650,125	S	*	12/2011	Chen	.....	D26/131
D672,910	S	*	12/2012	Turner	.....	D26/118
D771,299	S	*	11/2016	Arslan	.....	D26/88

\* cited by examiner




FIGURE 1






FIGURE 2




FIGURE 3






FIGURE 4




FIGURE 5






FIGURE 6






FIGURE 7




FIGURE 8






FIGURE 9




FIGURE 10






FIGURE 11




FIGURE 12






FIGURE 13




FIGURE 14






FIGURE 15




FIGURE 16






FIGURE 17




FIGURE 18






FIGURE 19




FIGURE 20






FIGURE 21