



US00D784798S

(12) **United States Design Patent**
Logsdon et al.

(10) **Patent No.:** **US D784,798 S**

(45) **Date of Patent:** **** Apr. 25, 2017**

(54) **CART CLIP**

(71) Applicants: **Rose M. Logsdon**, Georgetown, TX
(US); **Sammy Logsdon**, Georgetown,
TX (US)

(72) Inventors: **Rose M. Logsdon**, Georgetown, TX
(US); **Sammy Logsdon**, Georgetown,
TX (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/495,061**

(22) Filed: **Jun. 26, 2014**

(51) **LOC (10) Cl.** **08-08**

(52) **U.S. Cl.**
USPC **D8/394**

(58) **Field of Classification Search**
USPC D8/354, 356, 371, 394-396; D19/65, 86;
D24/128; 248/74.2, 215, 227.1, 49, 300,
248/301, 316.7, 51, 489; 24/570, 3.12;
D32/61; D11/78.1
CPC A45C 11/32; A47G 29/10; A44B 15/00;
F16B 45/00; F16B 45/06; F16B 45/02
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

582,780	A *	5/1897	Eldridge	F16B 45/02 24/375
1,165,606	A *	12/1915	King	F16B 45/02 24/598.4
1,804,308	A	5/1931	Bollinger		
3,126,600	A	3/1964	De Marre		
4,340,999	A	7/1982	Chini		
5,142,807	A	9/1992	Sweet		
5,274,887	A	1/1994	Fudaki		
5,655,270	A	8/1997	Boisvert		
5,940,943	A	8/1999	Kloster		
D444,685	S *	7/2001	Shenkel	D3/208
D462,891	S *	9/2002	Kelleghan	D8/372

D493,092	S	7/2004	Kalat		
D577,574	S *	9/2008	Liang	D8/356
D607,712	S *	1/2010	Kelleghan	D8/356
D612,710	S *	3/2010	Kelleghan	D8/356
D626,393	S *	11/2010	Ormsbee	D8/18
D635,446	S *	4/2011	Baca	D8/356
D637,473	S *	5/2011	Mitchell	D8/336

(Continued)

OTHER PUBLICATIONS

http://www.merrithew.com/shop/ProductDetail/ST05073_
Doubleended-Swivel-Spring-Clip (May 31, 2012).

(Continued)

Primary Examiner — John Windmuller

(74) *Attorney, Agent, or Firm* — Robert C. Montgomery;
Montgomery Patent & Design, LP.



(57) **CLAIM**

The ornamental design for a cart clip, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the cart clip with the fasteners in a closed position;
FIG. 2 is another perspective view of FIG. 1;
FIG. 3 is a perspective view with the fasteners in an open position;
FIG. 4 is another perspective view of FIG. 3;
FIG. 5 is a cutaway, partial view of an upper fastener retainer portion of the article;
FIG. 6 is a cutaway, partial view of the lower fastener retainer portion of the article;
FIG. 7 is a front view of FIG. 3;
FIG. 8 is a rear view of FIG. 3;
FIG. 9 is a left-hand side view of FIG. 3;
FIG. 10 is a right-hand side view of FIG. 3; and,
FIG. 11 is a top view of FIG. 3, wherein a bottom view is a mirror image of the top view.

1 Claim, 11 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D646,556 S 10/2011 Kelleghan
D669,764 S * 10/2012 Kelleghan D8/356
D698,626 S * 2/2014 Ormsbee D8/356
D725,373 S * 3/2015 Jiang D3/207
D729,476 S * 5/2015 Haarburger D32/35
D729,619 S * 5/2015 Cherin D8/394
9,121,437 B1 * 9/2015 Carnicle F16B 45/02
9,255,602 B2 * 2/2016 Liang F16B 45/02
D766,071 S * 9/2016 Spater D8/356
D767,975 S * 10/2016 Jiang D3/207
9,476,446 B2 * 10/2016 Ormsbee F16B 45/02
2005/0087662 A1 * 4/2005 Jacobs H02G 3/30
248/339
2009/0000086 A1 * 1/2009 Bing F16B 45/06
24/592.11
2012/0024917 A1 * 2/2012 Case A45F 3/02
224/259
2014/0115840 A1 * 5/2014 Liang F16B 45/02
24/600.2

OTHER PUBLICATIONS

<http://www.brettunsvillage.com/leather/parts/snaphooks.htm> (May 6, 2010).

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11