



US00D784800S

(12) **United States Design Patent**
Burchfield

(10) **Patent No.:** **US D784,800 S**

(45) **Date of Patent:** **** Apr. 25, 2017**

- (54) **HUNTING BLIND CONNECTOR**
- (71) Applicant: **Blind Disguise Outdoors, LLC**,
Brandon, MS (US)
- (72) Inventor: **Robert Mark Burchfield**, Windermere,
FL (US)
- (73) Assignee: **Blind Disguise Outdoors, LLC**,
Brandon, MS (US)

D667,527 S *	9/2012	Tate, Jr.	D22/125
D667,528 S *	9/2012	Tate, Jr.	D22/125
D670,353 S *	11/2012	Saringer	D22/125
D670,752 S *	11/2012	Barber	D16/242
D671,187 S *	11/2012	Saringer	D22/125
D675,700 S *	2/2013	Saringer	D22/125
D675,701 S *	2/2013	Saringer	D22/125
D693,665 S *	11/2013	Brown	D16/244
9,192,155 B2 *	11/2015	Saringer	A01M 31/06
2010/0294900 A1 *	11/2010	Maurer	A45F 3/44 248/156

(Continued)

(**) Term: **15 Years**

Primary Examiner — Cynthia Ramirez
Assistant Examiner — Michael Maharajh

(21) Appl. No.: **29/566,004**

(74) *Attorney, Agent, or Firm* — Veritay Group IP; Susan B Fentress

(22) Filed: **May 26, 2016**

(51) **LOC (10) Cl.** **08-08**

(57) **CLAIM**

(52) **U.S. Cl.**
USPC **D8/396**

The ornamental design for a hunting blind connector, as shown and described.

(58) **Field of Classification Search**
USPC 24/460, 462, 522; D25/126, 133, 199,
D25/68, 61, 38.1, 18, 16; D22/199, 125;
248/156, 175, 215, 530, 545, 163.1;
D21/839, 836; D8/71; D16/242, 245,
D16/244; 135/98, 96, 90, 88.01, 117;
182/187, 127, 16; 280/19.1; D29/100
CPC H01R 12/79; H01R 12/88; H01R 2107/00;
H01R 13/6581; H01R 2103/00; H01R
2105/00; Y10S 439/91
See application file for complete search history.

DESCRIPTION


FIG. 1 is a top isometric view of a first embodiment of a hunting blind connector, showing my new design;
FIG. 2 is a bottom isometric view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a rear elevational view thereof;
FIG. 6 is a left side elevational view thereof;
FIG. 7 is top plan view thereof.
FIG. 8 is bottom plan view thereof.
FIG. 9 is top isometric view of a second embodiment of a hunting blind connector, showing my new design;
FIG. 10 is bottom isometric view thereof;
FIG. 11 is front elevational view thereof;
FIG. 12 is right side elevational view thereof;
FIG. 13 is rear elevational view thereof;
FIG. 14 is left side elevational view thereof;
FIG. 15 is top plan view thereof; and,
FIG. 16 is bottom plan view thereof.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D319,566 S *	9/1991	Hillock, Jr.	D8/71
D327,083 S *	6/1992	Hayakawa	D16/242
5,598,996 A *	2/1997	Rath	F41J 1/10 248/163.1
D388,194 S *	12/1997	Straub	D25/134
6,663,071 B2 *	12/2003	Peterson	F16M 11/26 248/440.1
D630,289 S *	1/2011	Stehly	D21/839

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2015/0108295 A1* 4/2015 Brooks F16M 11/041
248/156

* cited by examiner




FIG. 1




FIG. 2




FIG. 7




FIG. 8




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 9




FIG. 10




FIG. 15




FIG. 16




FIG. 11




FIG. 12




FIG. 13




FIG. 14