



US00D784861S

(12) **United States Design Patent**  
**Schanz et al.**

(10) **Patent No.:** **US D784,861 S**  
(45) **Date of Patent:** **\*\* Apr. 25, 2017**

(54) **CRASH BAR EXTENSION FOR MOTORCYCLES**

(71) Applicant: **Touratech AG**, Niedereschach (DE)

(72) Inventors: **Jochen Schanz**, Niedereschach (DE);  
**Herbert Schwarz**, Niedereschach (DE)

(73) Assignee: **Touratech AG** (DE)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/510,021**

(22) Filed: **Nov. 24, 2014**

(30) **Foreign Application Priority Data**

May 23, 2014 (EP) ..... 001412324-0001

(51) **LOC (10) Cl.** ..... **12-11**

(52) **U.S. Cl.**  
USPC ..... **D12/114**

(58) **Field of Classification Search**  
USPC ..... D12/110, 114, 126; D8/300, 303;  
D15/5; 180/90.6, 160.1, 219, 284, 288.4,  
180/291, 304.3, 304.4, 770, 755, 756,  
180/784; 293/105, 116, 142  
CPC ..... B62J 23/00; B62J 25/00  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D270,527 S \* 9/1983 O'Rourke ..... D12/114  
D361,311 S \* 8/1995 Lindby ..... D12/114  
6,419,039 B1 \* 7/2002 Wagner ..... B62J 27/00  
180/219  
D484,074 S \* 12/2003 Henneberry ..... D12/114  
6,910,704 B1 \* 6/2005 Celiceo ..... B62J 27/00  
280/304.4

D513,719 S \* 1/2006 Egan ..... D12/126  
D521,416 S \* 5/2006 Lindby ..... D12/114  
7,108,273 B2 \* 9/2006 Hunwardsen ..... B62J 25/00  
180/219  
D546,734 S \* 7/2007 Wang ..... D12/126  
D548,142 S \* 8/2007 Lindby ..... D12/114  
7,475,897 B2 \* 1/2009 Wang ..... B62J 23/00  
180/219  
D730,266 S \* 5/2015 Schanz ..... D12/407  
2005/0178595 A1 \* 8/2005 Lindby ..... B62J 25/00  
180/219

\* cited by examiner

*Primary Examiner* — Darlington Ly

(74) *Attorney, Agent, or Firm* — Tarolli, Sundheim,  
Covell & Tummino LLP


(57) **CLAIM**

We claim the ornamental design for a crash bar extension for motorcycles, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of a right hand embodiment of the design with the top tilted away from the viewer and including a Y-shaped portion;  
FIG. 2 is a front view of the right hand embodiment of the design with the top tilted towards the viewer;  
FIG. 3 is a rear view of the right hand embodiment of the design showing the Y-shaped portion;  
FIG. 4 is a front view of a left hand embodiment of the design with the top tilted away from the viewer and including a Y-shaped portion;  
FIG. 5 is a front view of the left hand embodiment of the design with the top tilted towards from the viewer, and,  
FIG. 6 is a rear view of the left hand embodiment of the design showing the Y-shaped portion.

**1 Claim, 6 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6