



US00D784873S

(12) **United States Design Patent** (10) **Patent No.:** **US D784,873 S**
Kobayashi et al. (45) **Date of Patent:** **** Apr. 25, 2017**

(54) **BRAKE DISC FOR MOTORCYCLES**

(71) Applicant: **Kawasaki Jukogyo Kabushiki Kaisha,**
Hyogo (JP)

(72) Inventors: **Minoru Kobayashi,** Kakogawa (JP);
Akira Takasu, Akashi (JP)

(73) Assignee: **KAWASAKI JUKOGYO**
KABUSHIKI KAISHA (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/518,927**

(22) Filed: **Feb. 27, 2015**

(51) **LOC (10) Cl.** **12-16**

(52) **U.S. Cl.**
USPC **D12/180**

(58) **Field of Classification Search**
USPC D12/14, 106, 114, 118, 122, 161, 162,
D12/179, 180, 207, 217, 400
CPC ... B60T 1/06; B60T 7/00; B60T 8/265; B60T
11/00; B60T 11/103; B60T 13/00; B60T
13/66; B60T 17/223; B60T 83/255; B60T
2201/00; B60T 2201/03; B60T 2260/00;
B60T 2270/00; B60T 2270/82; B60T
2270/83; B60T 2270/84; B62K 23/06;
B62L 1/02; B62L 3/02; B62D 13/025;
B62D 21/18; B62D 53/045; B62D 63/04;
B62D 65/02; B62D 65/18; F16D 55/00;
F16D 55/226; F16D 65/00; F16D 65/092;
F16D 65/095; F16D 65/097; F16D 65/18;
F16D 65/38; F16D 65/847; B32B 3/06
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,536,167 A * 10/1970 Rath F16D 55/226
188/73.43
4,336,076 A * 6/1982 Edamura C22F 1/043
148/417

D381,610 S * 7/1997 Ohata D12/180
D381,611 S * 7/1997 Ohata D12/180
5,797,660 A * 8/1998 Johnson B60B 1/0223
301/104
5,897,170 A * 4/1999 Keleny A63C 17/223
152/323
D413,092 S * 8/1999 Johnson D12/180
D413,093 S * 8/1999 Johnson D12/180
5,980,407 A * 11/1999 Takamori F16D 65/12
188/264 A
6,095,293 A * 8/2000 Brundrett F16D 55/36
188/18 A
D446,177 S * 8/2001 Ueno D12/180

(Continued)

OTHER PUBLICATIONS

Jaguar z power brake discs, image post date May 13, 2014, site
visited Dec. 17, 2016, (online), <<https://www.tineye.com/search/3fd1c0f838d57deb3b5914268f914931e24b3d14/>>.*

(Continued)

Primary Examiner — Kevin Rudzinski

Assistant Examiner — Sean D Lough


(57) **CLAIM**

The ornamental design for a brake disc for motorcycles, as
shown and described.

DESCRIPTION

FIG. 1 is a front elevation view of our new design for the
brake disc for motorcycles;
FIG. 2 is a rear elevation view thereof;
FIG. 3 is a left side elevation view thereof;
FIG. 4 is a right side elevation view thereof;
FIG. 5 is a top plan view thereof;
FIG. 6 is a bottom plan view thereof;
FIG. 7 is a front left perspective view thereof; and,
FIG. 8 is a rear right perspective view thereof.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

6,273,223 B1 * 8/2001 Aloy F16D 65/092
188/24.11
6,283,257 B1 * 9/2001 Lee F16D 65/12
188/218 XL
6,308,650 B1 * 10/2001 Tsumiyama B63B 19/14
114/55.53
D455,686 S * 4/2002 Nadal Aloy D12/180
6,386,340 B1 * 5/2002 Milesi F16D 65/12
188/17
6,467,589 B2 * 10/2002 Seymour B60T 1/065
188/218 XL
6,520,297 B1 * 2/2003 Lumpkin B60T 11/046
188/24.15
6,530,457 B1 * 3/2003 Nago B62L 1/00
188/17
D476,608 S * 7/2003 Nadal Aloy D12/180
6,745,874 B1 * 6/2004 Huang B60T 1/065
188/24.19
D501,437 S * 2/2005 Okabe D12/180
D508,882 S * 8/2005 Cornolti D12/180
D509,173 S * 9/2005 Cornolti D12/180
6,957,726 B2 * 10/2005 Gehrs F16D 65/12
188/18 A
6,964,323 B2 * 11/2005 Campbell B62L 1/005
188/18 A
D520,912 S * 5/2006 Knight D12/107
D521,428 S * 5/2006 Campbell D12/180
7,055,323 B2 * 6/2006 Idei F16D 25/088
60/550
D541,717 S * 5/2007 Chen D12/180
7,284,643 B1 * 10/2007 Kao F16D 65/12
188/218 XL
D557,187 S * 12/2007 Johnson D12/180
7,331,433 B2 * 2/2008 Okabe B62L 1/005
188/218 XL
D581,844 S * 12/2008 Ohigashi D12/180
7,458,915 B2 * 12/2008 Matsuda B60K 28/16
477/107
7,475,758 B2 * 1/2009 Dimsey F16D 65/12
188/17
D592,559 S * 5/2009 McGarry D12/126
D602,412 S * 10/2009 Becocci D12/180
D608,259 S * 1/2010 Becocci D12/180
7,641,027 B2 * 1/2010 Mozzati F16D 65/0006
188/17
D609,616 S * 2/2010 Kitchell D12/180
D619,945 S * 7/2010 Sadanowicz D12/180
D621,417 S * 8/2010 McGarry D12/126
7,789,206 B2 * 9/2010 Carminati F16D 65/0006
188/18 A
7,793,764 B2 * 9/2010 Fujimoto B60T 1/062
188/264 E
7,828,124 B2 * 11/2010 Sano B60T 1/005
188/156
7,900,753 B2 * 3/2011 Chang A63H 17/42
188/106 P
7,926,625 B2 * 4/2011 Kawai F16D 55/228
188/18 A
D639,217 S * 6/2011 Moore D12/180

8,056,683 B2 * 11/2011 Usui F16D 65/18
188/156
D651,145 S * 12/2011 Lockrem D12/180
D661,632 S * 6/2012 Shinagawa D12/180
D661,633 S * 6/2012 Shinagawa D12/180
D669,004 S * 10/2012 Meckel D12/180
8,365,881 B2 * 2/2013 Iwai B62L 1/005
188/218 XL
D686,548 S * 7/2013 Meckel D12/180
8,505,972 B2 * 8/2013 Nishiyama B62J 1/28
224/412
D693,280 S * 11/2013 Shinagawa D12/180
D693,282 S * 11/2013 Ichikawa D12/209
D695,656 S * 12/2013 Qin D12/180
D700,566 S * 3/2014 Ichikawa D12/209
D721,309 S * 1/2015 Moore D12/180
8,978,842 B2 * 3/2015 Iwai C23C 4/02
188/218 XL
D740,719 S * 10/2015 Schanz D12/114
9,206,869 B2 * 12/2015 Wen F16D 65/847
9,234,553 B2 * 1/2016 Iwai F16D 65/12
D749,025 S * 2/2016 Dunlap, III D12/180
D749,476 S * 2/2016 Dunlap, III D12/180
D749,477 S * 2/2016 Dunlap, III D12/180
2004/0011608 A1 * 1/2004 Tironi F16D 65/12
188/218 XL
2005/0056495 A1 * 3/2005 Greppi F16D 65/12
188/26
2011/0155086 A1 * 6/2011 Matsuda F02M 35/10039
123/184.61
2011/0240420 A1 * 10/2011 Souwa F16D 65/12
188/218 XL
2011/0241369 A1 * 10/2011 Kamon B25J 9/102
294/213
2013/0220721 A1 * 8/2013 Matsuda B62K 11/04
180/220
2013/0300236 A1 * 11/2013 Matsuda H02K 7/025
310/74
2014/0090919 A1 * 4/2014 Idaka B62K 11/04
180/299
2014/0174243 A1 * 6/2014 Watarai B62M 25/04
74/502.2
2014/0175836 A1 * 6/2014 Nakagawa B62J 15/00
296/193.09
2014/0183836 A1 * 7/2014 Ishii B62K 25/08
280/267
2015/0307148 A1 * 10/2015 Kato B62J 29/00
359/842
2016/0258395 A1 * 9/2016 Ishii B62M 7/02
2016/0325400 A1 * 11/2016 Murakami B25J 21/00

OTHER PUBLICATIONS

Wave Wavy 220MM Motorcycle Rear Brake Disks Disc Brake Rotors for KTM EXC SX SXF 125 150 200 250 300 350 400 450 520, image post date 2003, site visited Dec. 17, 2016, (online), <https://www.aliexpress.com/store/product/Motorcycle-Rear-Brake-Disc-For-KTM-125-150-200-250-300-350-400-450-520-KTM/212603_32696676553.html>.*

* cited by examiner

Fig. 1




Fig. 2




Fig. 3



Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8

