



US00D784914S

(12) **United States Design Patent**
Fontaine et al.

(10) **Patent No.:** **US D784,914 S**

(45) **Date of Patent:** **** Apr. 25, 2017**

(54) **TIRE**

(71) Applicant: **The Goodyear Tire & Rubber Company, Akron, OH (US)**

(72) Inventors: **Sebastien Willy Fontaine, Vichten (LU); Armand Rene Gabriel Leconte, Bigonville (LU); Veronique Marie-Jose Herbeuval, Arlon (BE); Jeremy Pierre Haas, Mondorff (FR)**

(73) Assignee: **The Goodyear Tire & Rubber Company, Akron, OH (US)**

(**) Term: **15 Years**

(21) Appl. No.: **29/566,150**

(22) Filed: **May 27, 2016**

(51) **LOC (10) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/584; D12/603**

(58) **Field of Classification Search**
USPC D12/517, 518, 521, 523, 582, 583, 584,
D12/585, 586, 587, 590, 900
CPC . B60C 11/03; B60C 11/0306; B60C 11/0344;
B60C 11/0346; B60C 11/04
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | |
|--------------|---------|------------------------|---------|
| D380,425 S | 7/1997 | Brown et al. | D12/146 |
| D380,716 S | 7/1997 | Brown et al. | D12/147 |
| D383,716 S | 9/1997 | Brown et al. | D12/147 |
| D394,031 S | 5/1998 | Galante et al. | D12/147 |
| D398,887 S | 9/1998 | Brown et al. | D12/146 |
| D399,797 S | 10/1998 | Bergstrom et al. | D12/146 |
| D405,736 S | 2/1999 | Brightwell et al. | D12/147 |
| D421,732 S | 3/2000 | Fierro et al. | D12/146 |
| D426,179 S | 6/2000 | Fierro et al. | D12/146 |
| D430,830 S * | 9/2000 | Guspodin | D12/585 |

| | | | |
|--------------|---------|--------------------------|---------|
| D430,831 S * | 9/2000 | Edwards | D12/585 |
| D444,430 S | 7/2001 | Welbes et al. | D12/147 |
| D458,588 S | 6/2002 | Welbes | D12/603 |
| D473,513 S | 4/2003 | Welbes | D12/588 |
| D534,117 S | 12/2006 | Welbes et al. | D12/584 |
| D537,033 S | 2/2007 | Dumigan et al. | D12/602 |
| D591,223 S | 4/2009 | Missik-Gaffney et al. .. | D12/584 |
| D601,951 S * | 10/2009 | Haga | D12/590 |

(Continued)

Primary Examiner — Robert M Spear

(74) *Attorney, Agent, or Firm* — Robert N. Lipsik

(57) **CLAIM**

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof; the left side elevational view being identical thereto;


FIG. 4 is an enlarged fragmentary front elevational view thereof;

FIG. 5 is a perspective view of a second embodiment of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread and that the opposite side view is identical thereto; and,

FIG. 6 is a front elevational view of a second embodiment, it being understood that an enlarged fragmentary view thereof would be substantially identical to that shown in FIG. 4, with the exception of the inclusion of the sidewall in solid lines.

In the drawings, the broken lines showing of the sidewall, inner bead and the peripheral boundary between the tire tread and the sidewall in FIGS. 1 through 4 depict environmental subject matter and form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

| | | | |
|--------------|---------|-------------------|---------|
| D614,122 S | 4/2010 | Seibert | D12/600 |
| D635,916 S | 4/2011 | Krier | D12/588 |
| D667,363 S | 9/2012 | Kudo | D12/584 |
| D700,884 S * | 3/2014 | Herbeval | D12/584 |
| D730,812 S * | 6/2015 | Kato | D12/582 |
| D730,814 S * | 6/2015 | Kato | D12/584 |
| D731,405 S * | 6/2015 | Fujita | D12/584 |
| D761,726 S * | 7/2016 | Umstot | D12/601 |
| D764,390 S * | 8/2016 | Umstot | D12/584 |
| D764,391 S * | 8/2016 | Shen | D12/584 |
| D768,562 S * | 10/2016 | Kato | D12/584 |
| D769,800 S * | 10/2016 | Raatikainen | D12/590 |

* cited by examiner




FIG-1




FIG-2




FIG-3




FIG-4




FIG-5




FIG-6