



US00D785302S

(12) **United States Design Patent** (10) **Patent No.:** **US D785,302 S**
Karnazes (45) **Date of Patent:** **** May 2, 2017**

(54) **INSTABILITY FOOTWEAR SOLE**
(71) Applicant: **Dean Karnazes**, Kentfield, CA (US)
(72) Inventor: **Dean Karnazes**, Kentfield, CA (US)
(**) Term: **14 Years**
(21) Appl. No.: **29/524,385**
(22) Filed: **Apr. 20, 2015**
(51) **LOC (10) Cl.** **02-04**
(52) **U.S. Cl.**
USPC **D2/951; D2/956**
(58) **Field of Classification Search**
USPC D2/902, 906, 908, 916, 918, 925,
D2/946–962, 977; 36/3 B, 22 R, 24.5,
36/25 R, 28, 32 R, 34 R, 59 C, 67 A, 103
CPC A43B 13/00; A43B 13/02; A43B 13/023;
A43B 13/026; A43B 13/04; A43B 13/08;
A43B 13/10; A43B 13/12; A43B 13/14;
A43B 13/141; A43B 13/143; A43B
13/16; A43B 13/18; A43B 13/181; A43B
13/187; A43B 13/189; A43B 13/20; A43B
13/22; A43B 13/223; A43B 13/24; A43B
13/28; A43B 13/30; A43B 13/32; A43B
13/34; A43B 13/36
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS

D258,396 S * 3/1981 Turner, Jr. D2/949
4,993,173 A * 2/1991 Gardiner A43B 7/081
36/3 B
D319,339 S * 8/1991 Stringham D2/902
D332,517 S * 1/1993 Middleton D2/916
D401,050 S * 11/1998 Greenberg D2/916
6,421,935 B1 * 7/2002 Bartlett A43B 7/00
36/132

D612,589 S * 3/2010 Kovacs D2/961
8,397,404 B2 * 3/2013 Kim A43B 5/00
36/103
D731,766 S * 6/2015 Ellis D2/947
2002/0026730 A1 * 3/2002 Whatley A43B 13/143
36/132
2002/0178621 A1 * 12/2002 Darby A43B 3/128
36/140
2003/0188455 A1 * 10/2003 Weaver, III A43B 3/0063
36/27
2003/0208930 A1 * 11/2003 Swigart A43B 7/144
36/29
2006/0021251 A1 * 2/2006 Swigart A43B 3/0031
36/29
2011/0126422 A1 * 6/2011 Vattes A43B 7/144
36/10
2014/0345167 A1 * 11/2014 Al-Ani A43B 7/00
36/25 R

* cited by examiner

Primary Examiner — T. Chase Nelson
(74) *Attorney, Agent, or Firm* — Smyrski Law Group A
P.C.



(57) **CLAIM**


The ornamental design for an instability footwear sole, as
shown and described.

DESCRIPTION

FIG. 1 is a right side view of an instability footwear sole
showing my new design;
FIG. 2 is a left side view thereof;
FIG. 3 is a front view thereof;
FIG. 4 is a rear view thereof;
FIG. 5 is a top view thereof; and,
FIG. 6 is a bottom view thereof.
Where included, broken lines showing environment or struc-
ture are for illustrative purposes only and form no part of the
design.

1 Claim, 5 Drawing Sheets








FIG. 2




FIG. 4




FIG. 3




FIG. 5



FIG. 6