



US00D785347S

(12) **United States Design Patent**  
**Clark**

(10) **Patent No.:** **US D785,347 S**

(45) **Date of Patent:** **\*\* May 2, 2017**

- (54) **KNEELER BASE**
- (71) Applicant: **Bruce A. Clark**, Saint Paul, MN (US)
- (72) Inventor: **Bruce A. Clark**, Saint Paul, MN (US)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/505,976**
- (22) Filed: **May 9, 2016**
- (51) **LOC (10) Cl.** ..... **06-06**
- (52) **U.S. Cl.**  
USPC ..... **D6/330**
- (58) **Field of Classification Search**  
USPC ..... D6/330, 335-338, 340, 349-355, 364,  
D6/366, 495, 376, 685, 691, 707.19, 709,  
D6/718.11, 344, 360, 716; 297/16.1, 39,  
297/135, 158.3, 158, 175, 187, 195.1,  
297/195.11, 423.1, 423.16, 445.1, 461,  
297/462, 439, 70, 76, 423.25, 423.34,  
297/423.36; 280/32.6, 32.5; 482/146,  
482/148; D25/68, 69; D8/349; 248/210;  
182/112, 120  
CPC .... A47C 9/00; A47C 9/08; A47C 9/10; A47C  
1/00; A47C 1/02; A47C 1/04; A47C 1/14;  
A47C 11/00; A47B 1/00  
See application file for complete search history.

- D311,282 S 10/1990 Tooley
- 4,971,389 A 11/1990 Staggs
- 5,125,646 A 6/1992 Wilkinson
- D331,330 S 12/1992 Bennett et al.
- D346,310 S 4/1994 Schlesier et al.
- D351,738 S 10/1994 Lacombe
- D369,842 S 5/1996 Gvoich
- D376,481 S 12/1996 Bidwell et al.
- D387,623 S 12/1997 Brooks
- D423,290 S 4/2000 Green
- D435,196 S 12/2000 Gregor et al.
- D463,039 S 9/2002 Tseng
- D510,699 S 10/2005 Crain et al.
- D541,433 S 4/2007 Wise

(Continued)

**FOREIGN PATENT DOCUMENTS**

- GB 762869 12/1956
- Primary Examiner* — Abraham Bahta
- (74) *Attorney, Agent, or Firm* — Richard John Bartz

(57) **CLAIM**


The ornamental design for the kneeler base, as shown and described.

**DESCRIPTION**

FIG. 1 is a top perspective view of the kneeler base showing my new and ornamental design;  
 FIG. 2 is top plan view thereof;  
 FIG. 3 is a rear elevational view thereof;  
 FIG. 4 is a front elevational view thereof;  
 FIG. 5 is a left side elevational view thereof;  
 FIG. 6 is a right side elevational view thereof;  
 FIG. 7 is a bottom plan view thereof; and,  
 FIG. 8 is a bottom perspective view thereof.  
 The broken line showing of portions of the kneeler base in FIGS. 7 and 8 is included for the purpose of illustrating environmental structure and forms no part of the claimed design.

**1 Claim, 5 Drawing Sheets**

- (56) **References Cited**  
U.S. PATENT DOCUMENTS
- 830,103 A 9/1906 Rundell
- 1,529,498 A 3/1925 Novak
- 2,225,696 A 12/1940 Holzderber
- 2,318,416 A 5/1943 Peirce
- 2,829,705 A 4/1958 Godshalk et al.
- 4,394,049 A 7/1983 Ward
- D273,996 S 5/1984 Rasler
- 4,606,576 A 8/1986 Jones
- D287,074 S 12/1986 Ritchie
- D288,513 S 3/1987 Shelly
- D305,522 S 1/1990 Kohus



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D612,160	S	3/2010	Carino	
D685,110	S	6/2013	Lusin et al.	
D736,002	S *	8/2015	Clark .....	D6/330
D736,525	S *	8/2015	Clark .....	D6/330
D764,186	S *	8/2016	Clark .....	D6/330
D764,815	S *	8/2016	Clark .....	D6/330
D766,602	S *	9/2016	Clark .....	D6/330
2002/0089227	A1 *	7/2002	Speraw .....	A47C 16/04 297/423.11
2004/0201268	A1	10/2004	Liao	
2007/0205054	A1 *	9/2007	Gentles .....	A47C 16/04 182/230

\* cited by examiner




FIG.1




FIG.2





FIG. 3




FIG. 4




FIG. 6




FIG. 5




FIG.7




FIG.8