



US00D785411S

(12) **United States Design Patent**  
**Kendrick**

(10) **Patent No.:** **US D785,411 S**

(45) **Date of Patent:** **\*\* May 2, 2017**

- (54) **ADJUSTABLE COOLER INSERT**
- (71) Applicant: **Ice-Olate USA, LLC**, Nibley, UT (US)
- (72) Inventor: **Bryan W. Kendrick**, Nibley, UT (US)
- (73) Assignee: **ICE-OLATE USA, LLC**, Nibley, UT (US)

6,405,557 B1 \* 6/2002 DeCastro ..... B65D 1/36  
62/457.2

7,313,928 B2 1/2008 Girard

8,065,889 B1 \* 11/2011 Silberman ..... F25D 3/08  
62/457.7

D709,336 S \* 7/2014 Liebenthal ..... D7/605

2004/0069009 A1 \* 4/2004 Tedder ..... F25D 3/08  
62/457.7

2007/0012069 A1 \* 1/2007 Girard ..... F25D 3/08  
62/459

2007/0186579 A1 8/2007 Barker

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/551,297**

(22) Filed: **Jan. 12, 2016**

(51) **LOC (10) Cl.** ..... **07-01**

(52) **U.S. Cl.**  
USPC ..... **D7/605**

(58) **Field of Classification Search**  
USPC ... D7/605, 550.1, 552.2, 554.1, 554.3, 554.4  
CPC ... F25D 3/08; F25D 25/02; A47F 1/12; A01K  
97/04; A47B 45/00; A47B 77/08; A45C  
11/20; B65D 1/36; B65D 8/18; B65D  
5/48; B65D 21/00; B65D 21/08; B65D  
6/16; B65D 21/083; B65D 81/38; B65D  
81/3816; B65B 63/08

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- 4,307,581 A 12/1981 Reid
- 4,478,337 A \* 10/1984 Flum ..... A47F 1/12  
206/564
- 5,931,019 A \* 8/1999 White ..... A01K 97/04  
220/23.89
- 6,050,663 A \* 4/2000 Schoellmann ..... A47B 45/00  
220/23.86
- D448,249 S \* 9/2001 DeCastro ..... D7/605

\* cited by examiner

*Primary Examiner* — Terry Wallace

(74) *Attorney, Agent, or Firm* — Morriss O'Bryant  
Compagni

(57) **CLAIM**


The ornamental design for an adjustable cooler insert, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of the adjustable cooler insert in a slidably adjusted position;  
FIG. 2 is a top view of the insert;  
FIG. 3 is a bottom view of the insert;  
FIG. 4 is a left side view of the insert;  
FIG. 5 is a right side view of the insert;  
FIG. 6 is a front side view of the insert; and,  
FIG. 7 is a back side view of the insert.

The broken lines in the drawing depict drainage openings, leg attachment features and indicia bearing medallions that form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3



**FIG. 4**



**FIG. 5**



**FIG. 6**



**FIG. 7**