



US00D785411S

(12) **United States Design Patent**  
**Kendrick**

(10) **Patent No.:** **US D785,411 S**

(45) **Date of Patent:** **\*\* May 2, 2017**

- (54) **ADJUSTABLE COOLER INSERT**
- (71) Applicant: **Ice-Olate USA, LLC**, Nibley, UT (US)
- (72) Inventor: **Bryan W. Kendrick**, Nibley, UT (US)
- (73) Assignee: **ICE-OLATE USA, LLC**, Nibley, UT (US)

6,405,557	B1 *	6/2002	DeCastro	.....	B65D 1/36	62/457.2
7,313,928	B2	1/2008	Girard			
8,065,889	B1 *	11/2011	Silberman	.....	F25D 3/08	62/457.7
D709,336	S *	7/2014	Liebenthal	.....	D7/605	
2004/0069009	A1 *	4/2004	Tedder	.....	F25D 3/08	62/457.7
2007/0012069	A1 *	1/2007	Girard	.....	F25D 3/08	62/459
2007/0186579	A1	8/2007	Barker			

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/551,297**

(22) Filed: **Jan. 12, 2016**

(51) **LOC (10) Cl.** ..... **07-01**

(52) **U.S. Cl.**  
USPC ..... **D7/605**

(58) **Field of Classification Search**  
 USPC ... D7/605, 550.1, 552.2, 554.1, 554.3, 554.4  
 CPC ... F25D 3/08; F25D 25/02; A47F 1/12; A01K  
 97/04; A47B 45/00; A47B 77/08; A45C  
 11/20; B65D 1/36; B65D 8/18; B65D  
 5/48; B65D 21/00; B65D 21/08; B65D  
 6/16; B65D 21/083; B65D 81/38; B65D  
 81/3816; B65B 63/08

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,307,581	A	12/1981	Reid		
4,478,337	A *	10/1984	Flum	.....	A47F 1/12
					206/564
5,931,019	A *	8/1999	White	.....	A01K 97/04
					220/23.89
6,050,663	A *	4/2000	Schoellmann	.....	A47B 45/00
					220/23.86
D448,249	S *	9/2001	DeCastro	.....	D7/605

\* cited by examiner

*Primary Examiner* — Terry Wallace

(74) *Attorney, Agent, or Firm* — Morriss O'Bryant  
Compagni


(57) **CLAIM**

The ornamental design for an adjustable cooler insert, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of the adjustable cooler insert in a slidably adjusted position; FIG. 2 is a top view of the insert; FIG. 3 is a bottom view of the insert; FIG. 4 is a left side view of the insert; FIG. 5 is a right side view of the insert; FIG. 6 is a front side view of the insert; and, FIG. 7 is a back side view of the insert. The broken lines in the drawing depict drainage openings, leg attachment features and indicia bearing medallions that form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3



**FIG. 4**



**FIG. 5**



**FIG. 6**



**FIG. 7**