



US00D785439S

(12) **United States Design Patent**
Baus

(10) **Patent No.:** **US D785,439 S**

(45) **Date of Patent:** **** May 2, 2017**

(54) **SECURITY CABLE**

(71) Applicant: **PIVOT POINT, INCORPORATED**,
Hustisford, WI (US)

(72) Inventor: **Roman J. Baus**, Rubicon, WI (US)

(73) Assignee: **Pivot Point, Incorporated**, Hustisford,
WI (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/550,243**

(22) Filed: **Dec. 31, 2015**

(51) **LOC (10) Cl.** **08-07**

(52) **U.S. Cl.**
USPC **D8/333**

(58) **Field of Classification Search**
USPC D8/330, 331, 333, 343, 345, 367, 499;
70/14, 18, 23, 30, 51, 57.1, 58, 61, 431,
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

860,189 A 7/1907 Chatfield
1,272,272 A 7/1918 Keil
(Continued)


FOREIGN PATENT DOCUMENTS

WO WO 03/043857 5/2003

OTHER PUBLICATIONS

Web page, "Shred Ready Rack Guard Cable", www.amazon.com/Shred-Ready-Rack-Guard-Cable, printed on Mar. 30, 2016, 3 pages.
(Continued)

Primary Examiner — Prabhakar Deshmukh
(74) *Attorney, Agent, or Firm* — Ryan Kromholz & Manion, S.C.




(57) **CLAIM**

The ornamental design for a security cable, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of security cable showing my new design;
FIG. 2 is a front elevation view of the first embodiment;
FIG. 3 is a top plan view of the first embodiment;
FIG. 4 is a left side elevation view of the first embodiment;
FIG. 5 is a right side elevation view of the first embodiment;
FIG. 6 is a perspective view of a second embodiment of a security cable;
FIG. 7 is a front elevation view of the second embodiment;
FIG. 8 is a top plan view of the second embodiment;
FIG. 9 is a left side elevation view of the second embodiment;
FIG. 10 is a right side elevation view of the second embodiment;
FIG. 11 is a perspective view of a third embodiment of a security cable;
FIG. 12 is a front elevation view of the third embodiment;
FIG. 13 is a top plan view of the third embodiment;
FIG. 14 is a left side elevation view of the third embodiment;
FIG. 15 is a right side elevation view of the third embodiment;
FIG. 16 is a perspective view of a fourth embodiment of a security cable;
FIG. 17 is a front elevation view of the fourth embodiment;
FIG. 18 is a top plan view of the fourth embodiment;
FIG. 19 is a left side elevation view of the fourth embodiment;
FIG. 20 is a right side elevation view of the fourth embodiment;
FIG. 21 is a perspective view of a fifth embodiment of a security cable;
FIG. 22 is a front elevation view of the fifth embodiment;
FIG. 23 is a top plan view of the fifth embodiment;
FIG. 24 is a left side elevation view of the fifth embodiment;
and,
FIG. 25 is a right side elevation view of the fifth embodiment.

(Continued)



The break lines in the drawing indicate undermined length of the cable and the portion between these break lines form no part of the claimed design.

1 Claim, 5 Drawing Sheets

(58) **Field of Classification Search**

USPC 70/465; 292/246, 95, 262, 307 R, 327;
119/792, 795, 802; 361/679.57; 211/8;
D30/152–154

CPC E05B 17/00; E05B 67/36; E05B 73/00;
E05B 73/0005; E05B 73/0082

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,132,780	A	5/1964	Binding	
3,744,281	A	7/1973	Logue et al.	
3,800,575	A	4/1974	Perret, III	
4,366,605	A	1/1983	McKenney	
D295,721	S *	5/1988	Marshall	D8/333
4,765,521	A	8/1988	Finnegan	
4,896,519	A	1/1990	Pitts	
5,095,722	A	3/1992	Chapmond et al.	
5,361,610	A *	11/1994	Sanders	G11B 33/005 248/552
5,501,494	A	3/1996	Willetts	
D370,401	S *	6/1996	Minkin	D8/333

D373,949	S *	9/1996	Eldon, III	D8/333
5,595,073	A	1/1997	Sullivan	
5,956,979	A	9/1999	Collins et al.	
D427,883	S *	7/2000	Ling	D8/331
6,367,673	B1	4/2002	Smith et al.	
6,698,723	B1	3/2004	Antonini	
6,993,942	B2	2/2006	Boni et al.	
6,997,021	B2	2/2006	Boni	
7,299,668	B1 *	11/2007	Lu	E05B 73/0082 70/14
8,096,153	B2 *	1/2012	Vogan	E05B 73/0005 70/14
8,307,675	B2 *	11/2012	Avganim	E05B 67/36 70/14
8,683,959	B2 *	4/2014	Friedland	A01K 1/04 119/792
8,837,144	B1 *	9/2014	Allen	E05B 73/0082 211/8
8,844,329	B2 *	9/2014	Anderson	E05B 73/0005 70/14
8,922,993	B2 *	12/2014	Seibert	H05K 5/0217 361/679.57
9,103,142	B2 *	8/2015	Abdollahzadeh ...	E05B 15/1607
2011/0219826	A1	9/2011	Jeli et al.	
2011/0219828	A1	9/2011	Zhang et al.	

OTHER PUBLICATIONS

Web page, “Security Cable—Rack Guard”, Brighton Canoes product page, www.brighton-canoes.co.uk/products/pages/equipment/roof-rack, printed on Mar. 30, 2016, 2 pages.

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig. 20




Fig. 21




Fig. 22




Fig. 23




Fig. 24




Fig. 25