



US00D785477S

(12) **United States Design Patent** (10) **Patent No.:** **US D785,477 S**
Hamabe et al. (45) **Date of Patent:** **** *May 2, 2017**

(54) **PRESSURE DETECTOR**

(56) **References Cited**

(71) Applicant: **Kabushiki Kaisha Saginomiya Seisakusho**, Tokyo (JP)
(72) Inventors: **Yoshihiro Hamabe**, Saitama (JP); **Satoshi Miyakawa**, Saitama (JP); **Kenichi Matsuyama**, Saitama (JP)
(73) Assignee: **Kabushiki Kaisha Saginomiya Seisakusho**, Tokyo (JP)

U.S. PATENT DOCUMENTS

5,149,927 A * 9/1992 Stahly H01H 35/34
200/83 J
5,189,269 A * 2/1993 Stahly H01H 35/34
200/83 P
D643,761 S 8/2011 Kanazaki et al.
D643,762 S 8/2011 Hondoh
D658,082 S * 4/2012 Takatsuki D10/85
D737,704 S 9/2015 Miyakawa et al.
D739,282 S 9/2015 Miyakawa et al.

(*) Notice: This patent is subject to a terminal disclaimer.

* cited by examiner

(**) Term: **15 Years**

Primary Examiner — Antoine D Davis

(21) Appl. No.: **29/542,033**

(74) *Attorney, Agent, or Firm* — Reising Ethington P.C.

(22) Filed: **Oct. 9, 2015**

(57) **CLAIM**

We claim the ornament design of a pressure detector, as shown in the attached drawings and described.

(30) **Foreign Application Priority Data**

DESCRIPTION

Apr. 9, 2015 (JP) 2015-008029

(51) **LOC (10) Cl.** **10-04**

(52) **U.S. Cl.**
USPC **D10/85**

(58) **Field of Classification Search**
USPC D10/85
CPC F16L 13/14; F16L 17/02; H01H 35/34;
H01H 2205/002; H01H 2231/012
See application file for complete search history.

FIG. 1 is a front view;
FIG. 2 is a right-side view;
FIG. 3 is a plane view;
FIG. 4 is a bottom view; and,
FIG. 5 is a perspective view when viewed front and right-side top.
This article is a pressure detector which is used on a refrigerator and an air-conditioning machine.

1 Claim, 3 Drawing Sheets




Figure 1




Figure 2



Figure 3




Figure 4




Figure 5

