



US00D785576S

(12) **United States Design Patent** (10) **Patent No.:** **US D785,576 S**
Motoyama et al. (45) **Date of Patent:** **** May 2, 2017**

(54) **DUMMY WAFER**

(71) Applicant: **Tokyo Electron Limited**, Tokyo (JP)

(72) Inventors: **Yutaka Motoyama**, Iwate (JP); **Kohei Fukushima**, Iwate (JP)

(73) Assignee: **Tokyo Electron Limited**, Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/524,898**

(22) Filed: **Apr. 24, 2015**

(30) **Foreign Application Priority Data**

Nov. 13, 2014 (JP) 2014-025308

(51) **LOC (10) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/182**

(58) **Field of Classification Search**
USPC D13/182; D5/60; 428/408, 212, 688,
428/689, 698
CPC ... C23C 16/26; C23C 30/005; C23C 14/0641;
B82Y 30/00; C04B 41/52; C04B 41/89;
C04B 41/009; C04B 35/803; B32B 27/36;
B32B 27/08; B32B 27/32; B32B 7/02;
B32B 9/00; B32B 18/00; G11B 5/716;
B60R 21/2644; A61F 2/30767; A61F
2/3094; A61F 2002/3098

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

198,816 A * 1/1878 Robinson B32B 3/266
428/138
415,734 A 11/1889 Randall
1,769,409 A * 7/1930 Armstrong A01M 1/2055
239/56
D92,994 S * 8/1934 Aaronson D5/59
D122,735 S * 9/1940 Christen D5/61

D133,264 S * 8/1942 Perkins D5/61
D179,747 S * 2/1957 Sylvesterm et al. D13/121
4,244,761 A 1/1981 Remi et al.
4,374,906 A 2/1983 Breault et al.
D273,582 S 4/1984 Bolt
D273,860 S 5/1984 Bolt
4,450,212 A 5/1984 Feigenbaum et al.
4,460,634 A * 7/1984 Hasegawa G09F 15/02
156/289
D308,247 S 5/1990 Adam et al.
(Continued)

OTHER PUBLICATIONS

U.S. Appl. No. 29/524,897, filed Apr. 24, 2015, Tokyo Electron Limited.

(Continued)

Primary Examiner — Elizabeth J Oswecki

(74) *Attorney, Agent, or Firm* — IPUSA, PLLC

(57) **CLAIM**


The ornamental design for a dummy wafer, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a dummy wafer showing our new design;
FIG. 2 is a front view thereof;
FIG. 3 is an enlarged portion view taken along lines 3-3 in FIG. 1; and,
FIG. 4 is a cross-sectional view taken along line 4-4 in FIG. 3.

The broken lines shown in the drawings represent portions of the dummy wafer that form no part of the claimed design. Right, left and back views of the dummy wafer shown in FIG. 1 have been omitted because they are the same as the front view. The bottom view of the dummy wafer shown in FIG. 1 has been omitted because it forms no part of the claimed design.

1 Claim, 2 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D320,361 S 10/1991 Karasawa
5,458,938 A * 10/1995 Nygard B42F 5/00
40/594
5,514,439 A 5/1996 Sibley
5,662,758 A * 9/1997 Hamilton B65D 65/14
156/221
5,766,702 A * 6/1998 Lin B32B 17/10247
156/101
5,773,110 A * 6/1998 Shields B44C 1/105
359/594
5,804,281 A * 9/1998 Phan D21F 11/00
428/131
5,853,840 A 12/1998 Saito et al.
D417,235 S * 11/1999 Malik D19/9
D425,113 S * 5/2000 Kleman D19/1
6,150,023 A 11/2000 Yasaka et al.
6,340,514 B1 * 1/2002 Kerr A47G 27/0231
156/244.27
6,550,092 B1 * 4/2003 Brown A47L 13/16
15/104.002
6,589,631 B1 * 7/2003 Suzuki A47G 27/0231
15/215
6,610,390 B1 * 8/2003 Kauschke B32B 5/26
428/198
D483,187 S * 12/2003 Cheng D5/53
D508,180 S * 8/2005 Sneed D25/138
6,988,942 B2 1/2006 Chen et al.
7,030,046 B2 * 4/2006 Wong B08B 1/00
15/1
D540,272 S 4/2007 Higashibata
D544,452 S * 6/2007 Nakamura D13/182
D552,565 S * 10/2007 Nakamura D13/182
D562,568 S * 2/2008 Johnston D5/60
7,462,094 B2 12/2008 Yoshida et al.
D589,472 S 3/2009 Li
D589,473 S 3/2009 Takamoto et al.

D598,380 S * 8/2009 Kuriki D13/133
7,572,173 B2 8/2009 Huang et al.
7,632,170 B2 12/2009 O'Moore et al.
D609,652 S 2/2010 Nagasaka et al.
D621,804 S 8/2010 Sip et al.
D633,672 S * 3/2011 McKnight D32/40
D633,673 S * 3/2011 McKnight D32/40
D651,991 S 1/2012 Nishiguchi et al.
D651,992 S 1/2012 Nishiguchi et al.
D655,256 S 3/2012 Nishiguchi et al.
D670,917 S * 11/2012 Blackford D5/2
D674,759 S * 1/2013 Chang D13/182
D676,672 S * 2/2013 Lee D5/58
D677,062 S * 3/2013 Lee D5/58
D684,551 S 6/2013 Nguyen
D686,175 S * 7/2013 Gurary D13/182
D686,582 S * 7/2013 Krishnan D13/182
D690,671 S * 10/2013 Gurary D13/182
D695,241 S * 12/2013 Gurary D13/182
D699,201 S 2/2014 Petsch
D699,908 S * 2/2014 Fang D32/40
D703,162 S 4/2014 Tamaso
D704,155 S * 5/2014 Chang D13/182
D720,313 S 12/2014 Flynn et al.
D733,960 S 7/2015 Howe
D739,363 S 9/2015 Sharma et al.
D740,035 S * 10/2015 Teherani D5/58
D751,999 S 3/2016 Sharma et al.
D761,745 S 7/2016 Shinkai
D766,850 S 9/2016 Morisaki et al.
D768,115 S 10/2016 Kazanchian
2005/0170616 A1 8/2005 Murata et al.
2006/0079160 A1 4/2006 Balagani et al.
2009/0247057 A1 10/2009 Kobayashi et al.

OTHER PUBLICATIONS

U.S. Appl. No. 29/524,912, filed Apr. 24, 2015, Tokyo Electron Limited.

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4