



US00D785681S

(12) **United States Design Patent** (10) **Patent No.:** **US D785,681 S**  
**Okuyama et al.** (45) **Date of Patent:** **\*\* May 2, 2017**

(54) **BONNET FOR A TRACTOR**  
(71) Applicant: **YANMAR CO., LTD.**, Osaka-shi,  
Osaka (JP)  
(72) Inventors: **Kiyoyuki Okuyama**, Yamagata (JP);  
**Kenji Watabe**, Osaka (JP)  
(73) Assignee: **YANMAR CO., LTD.**, Osaka-Shi,  
Osaka (JP)

D602,507 S \* 10/2009 Kushita ..... D15/31  
D605,669 S \* 12/2009 Matsumoto ..... D15/31  
D620,955 S \* 8/2010 Krogh ..... D15/31  
D624,944 S \* 10/2010 Major ..... D15/31  
D631,489 S \* 1/2011 Booth ..... D15/31  
D632,312 S \* 2/2011 Booth ..... D15/31  
D642,598 S \* 8/2011 Wikner ..... D15/31  
D655,318 S \* 3/2012 Hagele ..... D15/31  
D668,695 S \* 10/2012 Ringer ..... D15/31  
D675,233 S \* 1/2013 Kushita ..... D15/31

(Continued)

(\*\*) Term: **15 Years**

**FOREIGN PATENT DOCUMENTS**

(21) Appl. No.: **29/559,367**

JP 1525196 S 6/2015

(22) Filed: **Mar. 28, 2016**

**OTHER PUBLICATIONS**

(30) **Foreign Application Priority Data**

Japanese Office Action corresponding to Application No. 2015-022717; Dated: May 24, 2016, with partial English translation.

Oct. 14, 2015 (JP) ..... 2015-022717

*Primary Examiner* — Mark Goodwin

(51) **LOC (10) Cl.** ..... **15-03**

(74) *Attorney, Agent, or Firm* — Cantor Colburn LLP

(52) **U.S. Cl.**  
USPC ..... **D15/31**

(57) **CLAIM**

(58) **Field of Classification Search**  
USPC ..... D15/10, 11, 13–17, 22–26, 28, 31;  
D12/173; 56/13.3, 13.4, 15.8, 15.9,  
56/320.1; 180/89.1, 89.12, 900, 69.2,  
180/68.1, 69.1  
CPC ..... B62D 25/10; B62D 25/00; B62D  
49/00–49/085; B60R 19/52; B60R 21/38;  
B60K 13/02; B60K 11/08; B60K 11/04;  
F01P 11/10; F01P 5/06; F01P 2001/005;  
B60Y 2200/221  
See application file for complete search history.

The ornamental design for a bonnet for a tractor, as shown and described.

**DESCRIPTION**

(56) **References Cited**


FIG. 1 is a perspective view of a bonnet for a tractor showing our new design;  
FIG. 2 is a front view thereof;  
FIG. 3 is a rear view thereof;  
FIG. 4 is a top plan view thereof;  
FIG. 5 is a bottom plan view thereof;  
FIG. 6 is a left side view thereof; and,  
FIG. 7 is a right side view thereof.

**U.S. PATENT DOCUMENTS**

The broken line showing of some of the surface features on the hood in FIGS. 5 and 7 is included for the purpose of illustrating environmental structure only and forms no part of the claimed design.

D537,455 S \* 2/2007 Kuwae ..... D15/31  
D546,351 S \* 7/2007 Arthur ..... D15/31  
D586,828 S \* 2/2009 Staines ..... D15/31  
D591,777 S \* 5/2009 Kokitkar ..... D15/31  
D596,205 S \* 7/2009 Kawashiri ..... D15/31

**1 Claim, 7 Drawing Sheets**




(56)

**References Cited**

U.S. PATENT DOCUMENTS

D676,466 S \* 2/2013 Ewringmann ..... D15/20  
D680,562 S \* 4/2013 Park ..... D15/31

\* cited by examiner



*FIG. 1*




FIG. 2





FIG. 3




FIG. 4





FIG. 5



*FIG. 6*






FIG. 7