



US00D785681S

(12) **United States Design Patent** (10) **Patent No.:** **US D785,681 S**
Okuyama et al. (45) **Date of Patent:** **** May 2, 2017**

(54) **BONNET FOR A TRACTOR**
(71) Applicant: **YANMAR CO., LTD.**, Osaka-shi,
Osaka (JP)
(72) Inventors: **Kiyoyuki Okuyama**, Yamagata (JP);
Kenji Watabe, Osaka (JP)
(73) Assignee: **YANMAR CO., LTD.**, Osaka-Shi,
Osaka (JP)

D602,507 S * 10/2009 Kushita D15/31
D605,669 S * 12/2009 Matsumoto D15/31
D620,955 S * 8/2010 Krogh D15/31
D624,944 S * 10/2010 Major D15/31
D631,489 S * 1/2011 Booth D15/31
D632,312 S * 2/2011 Booth D15/31
D642,598 S * 8/2011 Wikner D15/31
D655,318 S * 3/2012 Hagele D15/31
D668,695 S * 10/2012 Ringer D15/31
D675,233 S * 1/2013 Kushita D15/31

(Continued)

(**) Term: **15 Years**

FOREIGN PATENT DOCUMENTS

(21) Appl. No.: **29/559,367**

JP 1525196 S 6/2015

(22) Filed: **Mar. 28, 2016**

OTHER PUBLICATIONS

(30) **Foreign Application Priority Data**

Japanese Office Action corresponding to Application No. 2015-022717; Dated: May 24, 2016, with partial English translation.

Oct. 14, 2015 (JP) 2015-022717

(51) **LOC (10) Cl.** **15-03**

Primary Examiner — Mark Goodwin

(52) **U.S. Cl.**
USPC **D15/31**

(74) *Attorney, Agent, or Firm* — Cantor Colburn LLP

(58) **Field of Classification Search**
USPC D15/10, 11, 13–17, 22–26, 28, 31;
D12/173; 56/13.3, 13.4, 15.8, 15.9,
56/320.1; 180/89.1, 89.12, 900, 69.2,
180/68.1, 69.1
CPC B62D 25/10; B62D 25/00; B62D
49/00–49/085; B60R 19/52; B60R 21/38;
B60K 13/02; B60K 11/08; B60K 11/04;
F01P 11/10; F01P 5/06; F01P 2001/005;
B60Y 2200/221
See application file for complete search history.

(57) **CLAIM**

The ornamental design for a bonnet for a tractor, as shown and described.

(56) **References Cited**

DESCRIPTION


U.S. PATENT DOCUMENTS

D537,455 S * 2/2007 Kuwae D15/31
D546,351 S * 7/2007 Arthur D15/31
D586,828 S * 2/2009 Staines D15/31
D591,777 S * 5/2009 Kokitkar D15/31
D596,205 S * 7/2009 Kawashiri D15/31

FIG. 1 is a perspective view of a bonnet for a tractor showing our new design;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is a left side view thereof; and,
FIG. 7 is a right side view thereof.

The broken line showing of some of the surface features on the hood in FIGS. 5 and 7 is included for the purpose of illustrating environmental structure only and forms no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D676,466 S * 2/2013 Ewringmann D15/20
D680,562 S * 4/2013 Park D15/31

* cited by examiner




FIG. 1




FIG. 2



FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7