



US00D785839S

(12) **United States Design Patent** (10) **Patent No.:** **US D785,839 S**
Anderson (45) **Date of Patent:** **** May 2, 2017**

(54) **FLASHLIGHT**

(71) Applicant: **Joseph Samuel Anderson**, Big Bear City, CA (US)

(72) Inventor: **Joseph Samuel Anderson**, Big Bear City, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/525,036**

(22) Filed: **Apr. 26, 2015**

(51) **LOC (10) Cl.** **26-02**

(52) **U.S. Cl.**
USPC **D26/37**

(58) **Field of Classification Search**

USPC D26/37, 38, 46, 49, 51; 362/157, 158,
362/183, 184, 194-196, 202-208, 253
CPC F21L 2003/00; F21L 4/00; F21L 4/005;
F21L 4/02; F21L 4/025; F21L 4/027;
F21L 4/04; F21L 4/08; F21L 2005/00;
F21L 7/00; F21L 11/00; F21L 13/00;
F21L 13/04; F21L 13/08; F21L 14/02;
F21L 17/00; F21L 19/00; F21L 25/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,919,541	A	11/1975	Chao	
4,283,757	A	8/1981	Nalbandian et al.	
D313,663	S *	1/1991	Yuen	D26/38
D392,064	S *	3/1998	Chen	D26/49
5,785,408	A	7/1998	Tseung et al.	
6,116,747	A	9/2000	Grawemeyer et al.	
D443,090	S *	5/2001	Lam	D26/49
D443,374	S *	6/2001	van Klinken	D26/49
6,386,727	B1	5/2002	Yeh et al.	
D498,865	S *	11/2004	Mah	D26/49
D553,283	S *	10/2007	Rugendyke	D26/49
D589,635	S *	3/2009	Rugendyke	D26/49

7,575,334 B2 8/2009 Becnel
D613,438 S * 4/2010 Liang D26/49
D619,743 S * 7/2010 Liu D26/49

(Continued)

Primary Examiner — Ian Simmons

Assistant Examiner — Carissa C Fitts

(74) *Attorney, Agent, or Firm* — Lodestone Legal Group;
Jerome V. Sartain

(57) **CLAIM**


The ornamental design for a flashlight, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view showing an exemplary embodiment of my new flashlight design;
FIG. 2 is a rear perspective view thereof;
FIG. 3 is a front view thereof;
FIG. 4 is a rear view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a right side view thereof;
FIG. 7 is a top view thereof;
FIG. 8 is a bottom view thereof;
FIG. 9 is a reduced scale perspective view showing two exemplary flashlights as in FIGS. 1-8 employed in tandem as mounted back-to-back on the shaft of a tool;
FIG. 10 is a perspective view thereof with the tool removed for clarity;
FIG. 11 is a front view thereof;
FIG. 12 is a rear view thereof;
FIG. 13 is a left side view thereof;
FIG. 14 is a right side view thereof;
FIG. 15 is a top view thereof; and,
FIG. 16 is a bottom view thereof.

The broken line showing of a shaft of a tool in FIG. 9 and the broken line showing of a second flashlight paired with my new flashlight design in FIGS. 9-16 represent environment. All other broken lines represent unclaimed portions of the article. The broken lines form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D620,162	S	*	7/2010	Liu	D26/49
D638,157	S	*	5/2011	Lee	D26/49
D646,443	S	*	10/2011	Cook	D26/37
8,087,421	B2		1/2012	Gorey et al.	
8,240,893	B2		8/2012	Lin	
D670,015	S	*	10/2012	Wu	D26/49
D674,126	S	*	1/2013	Mase	D26/49
8,469,426	B2		6/2013	Lofley, Sr. et al.	
D687,583	S	*	8/2013	von Waldthausen	D26/46
D748,837	S	*	2/2016	Cacciabeve	D26/49
2006/0256547	A1		11/2006	Huang	
2013/0021787	A1		1/2013	Noble	

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8

Fig. 9





Fig. 10






Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16