



US00D785852S

(12) **United States Design Patent** (10) **Patent No.:** **US D785,852 S**
Rashidi Doust (45) **Date of Patent:** **** May 2, 2017**

(54) **ADAPTER FOR A FIRE RATED LIGHTING ASSEMBLY**

(71) Applicant: **ELITE LIGHTING**, Commerce, CA (US)

(72) Inventor: **Hamid Rashidi Doust**, Beverly Hills, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/544,949**

(22) Filed: **Nov. 8, 2015**

Related U.S. Application Data

(63) Continuation-in-part of application No. 14/677,979, filed on Apr. 3, 2015.

(51) **LOC (10) Cl.** **26-05**

(52) **U.S. Cl.**
USPC **D26/138**

(58) **Field of Classification Search**

USPC D26/138, 40, 79, 123, 124, 128, 154;
D23/205, 269; D8/29, 52, 354

CPC F21V 19/02; F21V 19/007; F21V 29/83;
F21V 25/125; F21V 25/12; F21V 23/06;

F21S 8/024; F21S 8/02; F21S 8/026;
F04F 19/02; F04B 1/948; F04B 1/941

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,105,334	A	8/2000	Manson	
6,226,939	B1	5/2001	Atkins	
D471,260	S *	3/2003	Otero	D23/254
D475,612	S *	6/2003	Wagner	D8/396
7,320,536	B2	1/2008	Petrakis	
D583,498	S *	12/2008	Meyer	D26/89
D583,504	S *	12/2008	Fujiwara	D26/138
D589,207	S *	3/2009	Fujiwara	D26/138
D599,498	S *	9/2009	Snider	D26/138

7,670,033	B2	3/2010	Steer	
7,765,899	B2 *	8/2010	Nieh	B25B 13/06 81/124.1
D632,839	S *	2/2011	Kim	D26/138
D636,523	S *	4/2011	Chujo	D26/113
D639,501	S *	6/2011	Choi	D26/138
D642,325	S *	7/2011	Parker	D26/118
8,517,325	B2 *	8/2013	Verma	F21V 21/04 248/342
D695,446	S *	12/2013	Eustace	D26/118
D697,156	S *	1/2014	Seluga	D21/759

(Continued)

FOREIGN PATENT DOCUMENTS

EP	2484968	8/2012
GB	2270936	3/1994

(Continued)

OTHER PUBLICATIONS

U.S. Appl. No. 14/555,029, filed Nov. 00, 2014, entitled "Downlight Firestop."

Primary Examiner — John Windmuller
Assistant Examiner — Benjamin Weeks
(74) *Attorney, Agent, or Firm* — Payam Moradian


(57) **CLAIM**

The ornamental design for an adapter for a fire rated lighting assembly, as shown and described.

DESCRIPTION

FIG. 1 is a top view of the adapter;
FIG. 2 is a bottom view thereof;
FIG. 3 is a front view thereof;
FIG. 4 is a right view thereof;
FIG. 5 is a back view thereof;
FIG. 6 is a left view thereof;
FIG. 7 is a top perspective view thereof; and,
FIG. 8 is a bottom perspective view thereon.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D701,181 S * 3/2014 Meyer D13/180
8,801,231 B2 * 8/2014 Kim F21S 8/026
361/697
8,827,506 B2 * 9/2014 Osada F21S 8/026
362/148
D737,119 S * 8/2015 Condon D8/352
D753,748 S * 4/2016 Schneider D15/140
9,304,027 B2 * 4/2016 Ross, Jr. G01F 23/00
D759,873 S * 6/2016 Saaranen D26/74
2016/0238225 A1 * 8/2016 Rashidi Doust F21V 25/125

FOREIGN PATENT DOCUMENTS

GB 2415245 12/2005
GB 254449 5/2009

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7




FIG. 8