



US00D786048S

(12) **United States Design Patent**
Grewal

(10) **Patent No.:** **US D786,048 S**

(45) **Date of Patent:** **** May 9, 2017**

(54) **CABLE MANAGEMENT MEMBER**

(71) Applicant: **Apple Inc.**, Cupertino, CA (US)

(72) Inventor: **Tejinder Singh Grewal**, Pacific Palisades, CA (US)

(73) Assignee: **APPLE INC.**, Cupertino, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/541,430**

(22) Filed: **Oct. 2, 2015**

6,189,186	B1 *	2/2001	Boden	F16G 11/14 24/115 H
6,392,882	B1 *	5/2002	Chen	G06F 1/1626 345/205
6,405,414	B1 *	6/2002	Byrnes	B60R 22/023 24/198
6,449,810	B1 *	9/2002	Kuwayama	A44C 11/005 24/115 G
D494,450	S *	8/2004	Schultz	D8/356
D534,065	S *	12/2006	Andre	D14/205
D577,990	S *	10/2008	Andre	D14/205

(Continued)

Primary Examiner — Cynthia Underwood

(74) *Attorney, Agent, or Firm* — Sterne, Kessler, Goldstein & Fox P.L.L.C.

Related U.S. Application Data

(63) Continuation of application No. 14/120,277, filed on May 14, 2014, now abandoned.

(51) **LOC (10) Cl.** **08-05**

(52) **U.S. Cl.**
USPC **D8/356**

(58) **Field of Classification Search**
USPC D8/356, 354, 349; 381/384
CPC E02D 5/803; B63B 21/045; B63B 59/02;
B60D 1/18; B60P 7/0823; A44B 13/0029;
H04R 1/1033; H04R 1/103; Y10T
24/3918

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

577,220	A *	2/1897	Whitehead	B25J 1/04 15/144.3
3,056,309	A *	10/1962	Horste	B62D 55/211 305/204
3,953,640	A *	4/1976	Takada	B60R 21/18 139/387 R
4,048,399	A *	9/1977	Terzaghi	H01M 4/765 139/387 R
D372,420	S *	8/1996	Mendez	D8/356

(57) **CLAIM**

The ornamental design for a cable management member, as shown and described.

DESCRIPTION


FIG. 1 is a bottom rear perspective view of a cable management member showing our new design;
FIG. 2 is a bottom view thereof;
FIG. 3 is a top view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a front view thereof;
FIG. 7 is a rear view thereof;
FIG. 8 is a front view of the cable management member in an environment in which it may be used;
FIG. 9 is a right side view thereof; and,
FIG. 10 is a rear view thereof.

The dashed broken lines in the figures show portions of the cable management member or environment that form no part of the claimed design.

The shade lines in the figures show contour and not surface ornamentation.

The dot-dash broken lines in the figures show boundaries that form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

7,484,539 B1 * 2/2009 Huang D03D 3/02
 139/384 R
 D629,803 S * 12/2010 St. Ives D14/396
 D648,685 S * 11/2011 Symons D13/155
 D679,581 S * 4/2013 Liu D8/395
 8,602,370 B2 * 12/2013 McKenzie A47G 25/0614
 248/215
 D708,052 S * 7/2014 Symons D8/394
 8,925,158 B2 * 1/2015 Fried B65D 33/1633
 24/115 G
 D728,351 S * 5/2015 Martinson D8/373
 D745,380 S * 12/2015 Williams D8/394
 D747,413 S * 1/2016 Hoyt Drazen D19/203
 D752,955 S * 4/2016 Rowan D8/356
 9,301,580 B1 * 4/2016 Rafaelian A44C 5/22
 D762,588 S * 8/2016 Chin D13/155
 D763,671 S * 8/2016 Szelove D8/394
 9,468,283 B2 * 10/2016 Meillan A45F 3/22
 2003/0037416 A1 * 2/2003 Buettell G09F 21/02
 24/122.6
 2005/0230143 A1 * 10/2005 Simmons B65H 75/36
 174/66
 2012/0057740 A1 * 3/2012 Rosal H04R 25/65
 381/380
 2013/0017011 A1 * 1/2013 Miron F16G 11/14
 403/52
 2014/0360771 A1 * 12/2014 Itani H05K 9/0098
 174/354
 2015/0027778 A1 * 1/2015 Murao H02G 3/0481
 174/72 A

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10