



US00D786181S

(12) **United States Design Patent**
Caron et al.

(10) **Patent No.:** **US D786,181 S**

(45) **Date of Patent:** **** May 9, 2017**

- (54) **TIRE**
- (71) Applicant: **The Goodyear Tire & Rubber Company, Akron, OH (US)**
- (72) Inventors: **Arnaud Caron, Signeulx (BE); Pierre Bernard Raoul Brochet, Itzig (LU); Armand Rene Gabriel Leconte, Bigonville (LU); Sebastien Willy Fontaine, Vichten (LU)**
- (73) Assignee: **The Goodyear Tire & Rubber Company, Akron, OH (US)**
- (**) Term: **15 Years**
- (21) Appl. No.: **29/549,236**
- (22) Filed: **Dec. 21, 2015**
- (51) **LOC (10) Cl.** **12-15**
- (52) **U.S. Cl.**
USPC **D12/564**
- (58) **Field of Classification Search**
USPC 152/5, 151, 152.1, 167, 208, 152/209.1-209.28, 246, 450, 526, 527, 152/532, 535, 538, 541; D12/145, D12/500-605, 900-901
CPC B60C 11/00; B60C 2011/0337; B60C 2011/0339; B60C 2011/0386; B60C 3/00; B60C 3/08; B60C 1/00; B60C 2200/00; B60C 2200/02; B60C 2200/04; B60C 2200/06; B60C 2200/065; B60C 2200/08; B60C 2200/10; B60C 2200/12; B60C 2200/14; B60C 7/00; B60C 7/02; B60C 7/04; B60C 7/06; B60C 7/08; B60C 5/00; B60C 13/00
See application file for complete search history.

- (56) **References Cited**
U.S. PATENT DOCUMENTS
D322,237 S * 12/1991 Nakatani D12/566
D362,420 S 9/1995 Heinen et al. D12/147

- D370,196 S * 5/1996 Graas D12/566
- D379,787 S 6/1997 Maxwell et al. D12/147
- 5,707,461 A * 1/1998 Himuro B60C 11/0302
152/209.15
- 5,714,021 A * 2/1998 Ochi B60C 11/0302
152/209.15
- D431,800 S 10/2000 Heinen et al. D12/147
- D441,328 S 5/2001 Heinen et al. D12/146
- D451,068 S 11/2001 Heinen et al. D12/547
- D451,868 S 12/2001 Graas et al. D12/147
- D452,198 S 12/2001 Heinen et al. D12/146
- D455,116 S 4/2002 Graas et al. D12/553
- D455,998 S 4/2002 Heinen et al. D12/566
- D504,387 S 4/2005 Welbes et al. D12/549
- D504,866 S 5/2005 Collette et al. D12/553
- D548,677 S 8/2007 Welbes et al. D12/553
- D548,678 S 8/2007 Welbes et al. D12/553
- D575,726 S * 8/2008 Fontaine D12/564
- D579,861 S 11/2008 Haas et al. D12/553
- D579,864 S 11/2008 Haas et al. D12/566
- D586,728 S 2/2009 Heinen et al. D12/547

(Continued)

Primary Examiner — Manpreet Matharu
Assistant Examiner — Keith Wilson
 (74) *Attorney, Agent, or Firm* — Robert N. Lipsik

(57) **CLAIM**

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;
 FIG. 2 is a front elevational view thereof;
 FIG. 3 is a right side elevational view thereof; the other side being a mirror image thereof; and,
 FIG. 4 is an enlarged fragmentary front elevational view thereof.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D589,874 S	4/2009	Fontaine et al.	D12/564
D591,221 S	4/2009	Fontaine et al.	D12/563
D591,672 S	5/2009	de Briey-Terlinden et al.	D12/553
D592,588 S	5/2009	Heinen et al.	D12/564
D595,639 S	7/2009	de Briey-Terlinden	D12/553
D595,640 S	7/2009	de Briey-Terlinden	D12/564
D596,109 S	7/2009	de Briey-Terlinden	D12/553
D597,476 S	8/2009	de Briey-Terlinden	D12/553
D598,367 S	8/2009	de Briey-Terlinden	D12/553
D600,195 S	9/2009	Fontaine et al.	D12/564
D601,946 S	10/2009	Fontaine et al.	D12/553
D606,007 S *	12/2009	Fontaine	D12/564
D610,964 S	3/2010	Dixon et al.	D12/552
D622,657 S	8/2010	Leocadio et al.	D12/553
D635,912 S	4/2011	Knispel	D12/564
D638,350 S	5/2011	Knispel	D12/564
D640,184 S	6/2011	de Briey-Terlinden	
D641,305 S	7/2011	de Briey-Terlinden	D12/547
D662,454 S	6/2012	Fontaine et al.	D12/553
D669,417 S *	10/2012	Takei	D12/564
D722,554 S	2/2015	Knispel et al.	D12/564
D722,555 S	2/2015	Knispel et al.	D12/564
D723,453 S	3/2015	Knispel et al.	D12/563
D754,058 S *	4/2016	Caron	D12/534
D767,472 S *	9/2016	Poggi	D12/559
D767,473 S *	9/2016	Nomura	D12/545

* cited by examiner



FIG - 1



FIG - 2




FIG - 3



FIG - 4