



US00D786184S

(12) **United States Design Patent** (10) **Patent No.:** **US D786,184 S**
Dixon et al. (45) **Date of Patent:** **** May 9, 2017**

(54) **TIRE**
(71) Applicant: **The Goodyear Tire & Rubber Company, Akron, OH (US)**
(72) Inventors: **Max Harold Dixon, Kent, OH (US); Theresa Marie Nopper, Macedonia, OH (US); Katherine Ann Folk, Uniontown, OH (US)**
(73) Assignee: **The Goodyear Tire & Rubber Company, Akron, OH (US)**
(**) Term: **15 Years**
(21) Appl. No.: **29/558,712**
(22) Filed: **Mar. 21, 2016**
(51) **LOC (10) Cl.** **12-15**
(52) **U.S. Cl.**
USPC **D12/594**
(58) **Field of Classification Search**
USPC D12/568-604, 900
CPC B60C 1/0016; B60C 11/0306; B60C 11/0302; B60C 3/06; B60C 9/17
See application file for complete search history.

D481,668 S 11/2003 Hanna D12/579
D498,729 S 11/2004 Neubauer et al. D12/579
D499,066 S 11/2004 Covey D12/579
D529,434 S 10/2006 Regallis et al. D12/579
D530,265 S 10/2006 Hutz et al. D12/579
D536,661 S 2/2007 Maxwell D12/579
D549,163 S 8/2007 Maus et al. D12/579
D573,941 S 7/2008 Song D12/579
D573,942 S 7/2008 Song D12/579
D577,657 S 9/2008 Maus et al. D12/544
(Continued)

FOREIGN PATENT DOCUMENTS

CN 301839309 2/2012
JP 1441365 5/2012
JP 1379305 8/2012

OTHER PUBLICATIONS

Japanese search report dated Jan. 10, 2017.
Primary Examiner — Robert M Spear
Assistant Examiner — John Voytek
(74) *Attorney, Agent, or Firm* — Robert N. Lipsik

CLAIM


The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a right side elevational view thereof; the left side elevational view being identical thereto;
FIG. 4 is an enlarged fragmentary front elevational view thereof; and,
FIG. 5 is a fragmentary cross-sectional view of section 5-5 of FIG. 2, rotated to show the thickness and contour of the grooves and tire interior.

1 Claim, 5 Drawing Sheets

(56) **References Cited**
U.S. PATENT DOCUMENTS
D259,112 S 5/1981 Candiliotis D12/146
D359,715 S 6/1995 Anderson et al. D12/147
D366,019 S 1/1996 Schuster et al. D12/147
D388,033 S 12/1997 Scheuren et al. D12/146
D400,479 S 11/1998 Baus D12/147
D412,302 S 7/1999 Rayman et al. D12/146
D420,630 S 2/2000 De Coninck et al. D12/147
D444,107 S 6/2001 Rayman D12/147
D457,487 S 5/2002 Rayman D12/579
D457,489 S 5/2002 Rayman D12/579
D457,854 S 5/2002 Rayman D12/579
D458,585 S 6/2002 Rayman D12/602
D458,895 S 6/2002 Rayman D12/579



(56)

References Cited

U.S. PATENT DOCUMENTS

D585,820 S	2/2009	Motta et al.	D12/599
D586,731 S	2/2009	Neubauer et al.	D12/579
D593,485 S *	6/2009	Davidson, Jr.	D12/579
D611,892 S	3/2010	Huffman	D12/599
D620,428 S	7/2010	Rayman	D12/579
D622,211 S *	8/2010	Maus	D12/579
D642,976 S *	8/2011	Kato	D12/603
D647,842 S *	11/2011	Aoki	D12/602
D648,262 S	11/2011	Hermann et al.	D12/579
D648,674 S	11/2011	Mayni et al.	D12/600
D652,372 S	1/2012	Rayman	D12/599
D673,896 S	1/2013	Dixon et al.	D12/581
D695,210 S	12/2013	Tanaka	D12/600
D711,814 S *	8/2014	Ohara	D12/579
D758,290 S *	6/2016	Kitajima	D12/583
D761,721 S *	7/2016	Kuwano	D12/579
D766,814 S *	9/2016	Pressley	D12/583

* cited by examiner



FIG - 1




FIG - 2




FIG - 3




FIG - 4




FIG - 5