



US00D786673S

(12) **United States Design Patent**  
**Moffat**

(10) **Patent No.:** **US D786,673 S**

(45) **Date of Patent:** **\*\* May 16, 2017**

- (54) **BOTTLE SPLASH GUARD**
- (71) Applicant: **Kyle Moffat**, Wasilla, AK (US)
- (72) Inventor: **Kyle Moffat**, Wasilla, AK (US)
- (73) Assignee: **The Alaska Life LLC**, Wasilla, AK (US)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/553,282**
- (22) Filed: **Jan. 29, 2016**
- (51) **LOC (10) Cl.** ..... **09-07**
- (52) **U.S. Cl.**  
USPC ..... **D9/443; D9/447; D7/392.1; D7/396.3; D7/900**
- (58) **Field of Classification Search**  
USPC ..... D9/414, 415, 420, 426, 428, 429, 434, D9/435, 443-450, 452-457, 499, 682, D9/685, 686, 451; D7/387, 392, 392.1, D7/393, 395, 396.2, 396.3, 396.4, 401.1, D7/507, 509-511, 538, 900; D3/202, D3/203.2, 318; D28/91.1  
CPC .. A61J 1/00; A61J 1/1412; B65D 1/00; B65D 1/02; B65D 1/10; B65D 1/46; B65D 2585/56; B65D 41/00; B65D 41/38; B65D 41/56; B65D 41/62; B65D 47/00; B65D 47/06; B65D 47/08; B65D 2543/00046; B65D 2543/00092; B65D 2543/00296; B65D 5/46; B65D 2251/00  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 3,868,043 A \* 2/1975 Freemyer ..... B65D 21/0219 220/712
- 4,792,054 A \* 12/1988 Weidman ..... B65D 55/02 220/253
- 5,143,248 A \* 9/1992 Sawatsky ..... B65D 47/265 220/253

- 5,477,979 A \* 12/1995 Goessling ..... A47G 19/2272 220/259.3
- 5,820,016 A \* 10/1998 Stropkay ..... B65D 1/265 206/459.5
- D410,844 S \* 6/1999 Hurst ..... D9/438
- D415,651 S \* 10/1999 Trombly ..... D7/391
- D441,288 S \* 5/2001 Pillers ..... D7/392.1
- D450,583 S \* 11/2001 Freed ..... D7/392.1
- D474,068 S \* 5/2003 Fujii ..... D7/392.1
- 6,626,314 B1 \* 9/2003 McHenry ..... B65D 17/165 220/254.2
- D488,376 S \* 4/2004 Chung ..... D9/434
- D497,287 S \* 10/2004 Glander ..... D7/560

(Continued)

*Primary Examiner* — Karen S Acker

*Assistant Examiner* — Wendy Arminio

(74) *Attorney, Agent, or Firm* — M. Reid Russell

(57) **CLAIM**

The ornamental design for a bottle splash guard, as shown and described.

**DESCRIPTION**

FIG. 1 is a side elevation perspective view of a bottle splash guard showing my new design in a position of use fitted into a bottle drawn in broken lines, taken from above and off-center;

FIG. 2 is a side elevation perspective view of the bottle splash guard removed from the bottle, taken from above and off-center from the bottle splash guard;

FIG. 3 is a perspective view taken from above and off-center from the bottle splash guard of FIG. 2;

FIG. 4 is a top plan view thereof;


FIG. 5 is a side elevation view thereof;

FIG. 6 is a bottom plan view thereof; and,

FIG. 7 is a cross-sectional view taken in the direction of line 7-7 of FIG. 6.

The broken lines showing a bottle in FIG. 1 depict environment and form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**




(56)

**References Cited**


U.S. PATENT DOCUMENTS

|              |    |   |         |              |       |                        |
|--------------|----|---|---------|--------------|-------|------------------------|
| D525,826     | S  | * | 8/2006  | Kugler       | ..... | D7/392.1               |
| D529,379     | S  | * | 10/2006 | Mengeu       | ..... | D9/447                 |
| D631,284     | S  | * | 1/2011  | Fuller       | ..... | D7/392.1               |
| D686,074     | S  | * | 7/2013  | Brinckerhoff | ..... | D9/443                 |
| D690,988     | S  | * | 10/2013 | Audette      | ..... | D7/392.1               |
| D733,491     | S  | * | 7/2015  | Gluck        | ..... | D7/392.1               |
| 2010/0288768 | A1 | * | 11/2010 | Booth        | ..... | B65D 43/022<br>220/213 |


\* cited by examiner




**FIG. 1**




**FIG. 2**



**FIG. 3**



**FIG. 4**



**FIG. 5**




FIG. 6




FIG. 7