



US00D786673S

(12) **United States Design Patent** (10) **Patent No.:** **US D786,673 S**
Moffat (45) **Date of Patent:** **** May 16, 2017**

(54) **BOTTLE SPLASH GUARD**
(71) Applicant: **Kyle Moffat**, Wasilla, AK (US)
(72) Inventor: **Kyle Moffat**, Wasilla, AK (US)
(73) Assignee: **The Alaska Life LLC**, Wasilla, AK (US)
(**) Term: **15 Years**
(21) Appl. No.: **29/553,282**
(22) Filed: **Jan. 29, 2016**
(51) **LOC (10) Cl.** **09-07**
(52) **U.S. Cl.**
USPC **D9/443; D9/447; D7/392.1; D7/396.3; D7/900**
(58) **Field of Classification Search**
USPC D9/414, 415, 420, 426, 428, 429, 434, D9/435, 443-450, 452-457, 499, 682, D9/685, 686, 451; D7/387, 392, 392.1, D7/393, 395, 396.2, 396.3, 396.4, 401.1, D7/507, 509-511, 538, 900; D3/202, D3/203.2, 318; D28/91.1
CPC .. A61J 1/00; A61J 1/1412; B65D 1/00; B65D 1/02; B65D 1/10; B65D 1/46; B65D 2585/56; B65D 41/00; B65D 41/38; B65D 41/56; B65D 41/62; B65D 47/00; B65D 47/06; B65D 47/08; B65D 2543/00046; B65D 2543/00092; B65D 2543/00296; B65D 5/46; B65D 2251/00
See application file for complete search history.

5,477,979 A * 12/1995 Goessling A47G 19/2272 220/259.3
5,820,016 A * 10/1998 Stropkay B65D 1/265 206/459.5
D410,844 S * 6/1999 Hurst D9/438
D415,651 S * 10/1999 Trombly D7/391
D441,288 S * 5/2001 Pillers D7/392.1
D450,583 S * 11/2001 Freed D7/392.1
D474,068 S * 5/2003 Fujii D7/392.1
6,626,314 B1 * 9/2003 McHenry B65D 17/165 220/254.2
D488,376 S * 4/2004 Chung D9/434
D497,287 S * 10/2004 Glander D7/560

(Continued)

Primary Examiner — Karen S Acker
Assistant Examiner — Wendy Arminio
(74) *Attorney, Agent, or Firm* — M. Reid Russell

(57) **CLAIM**


The ornamental design for a bottle splash guard, as shown and described.

DESCRIPTION

FIG. 1 is a side elevation perspective view of a bottle splash guard showing my new design in a position of use fitted into a bottle drawn in broken lines, taken from above and off-center;
FIG. 2 is a side elevation perspective view of the bottle splash guard removed from the bottle, taken from above and off-center from the bottle splash guard;
FIG. 3 is a perspective view taken from above and off-center from the bottle splash guard of FIG. 2;
FIG. 4 is a top plan view thereof;
FIG. 5 is a side elevation view thereof;
FIG. 6 is a bottom plan view thereof; and,
FIG. 7 is a cross-sectional view taken in the direction of line 7-7 of FIG. 6.
The broken lines showing a bottle in FIG. 1 depict environment and form no part of the claimed design.

1 Claim, 4 Drawing Sheets

(56) **References Cited**
U.S. PATENT DOCUMENTS
3,868,043 A * 2/1975 Freemyer B65D 21/0219 220/712
4,792,054 A * 12/1988 Weidman B65D 55/02 220/253
5,143,248 A * 9/1992 Sawatsky B65D 47/265 220/253



(56)

References Cited

U.S. PATENT DOCUMENTS

D525,826	S	*	8/2006	Kugler	D7/392.1
D529,379	S	*	10/2006	Mengeu	D9/447
D631,284	S	*	1/2011	Fuller	D7/392.1
D686,074	S	*	7/2013	Brinckerhoff	D9/443
D690,988	S	*	10/2013	Audette	D7/392.1
D733,491	S	*	7/2015	Gluck	D7/392.1
2010/0288768	A1	*	11/2010	Booth	B65D 43/022 220/213

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7