



US00D786717S

(12) **United States Design Patent**
Grieves et al.

(10) **Patent No.:** **US D786,717 S**

(45) **Date of Patent:** **** May 16, 2017**

(54) **GEODETIC INSTRUMENT**

D705,678 S * 5/2014 Steffey D10/66
D761,674 S * 7/2016 Nikaido D10/66

(71) Applicant: **Trimble AB**, Danderyd (SE)

* cited by examiner

(72) Inventors: **Robin Grieves**, Stockholm (SE);
Gerard Scanlon, Stockholm (SE);
Magnus Westermarck, Ekerö (SE);
Georgios Gatsios, Åkersberga (SE)

Primary Examiner — Antoine D Davis

(74) *Attorney, Agent, or Firm* — Kilpatrick Townsend &
Stockton LLP

(73) Assignee: **Trimble AB**, Danderyd (SE)

(**) Term: **15 Years**

(57) **CLAIM**

(21) Appl. No.: **29/546,869**

The ornamental design for geodetic instrument, as shown
and described.

(22) Filed: **Nov. 26, 2015**

(51) **LOC (10) Cl.** **10-04**

(52) **U.S. Cl.**
USPC **D10/66**

DESCRIPTION

(58) **Field of Classification Search**
USPC D10/66
CPC ... G01C 1/00; G01C 1/02; G01C 1/04; G01C
1/06; G01C 1/08; G01C 1/10; G01C
1/12; G01C 1/14

FIG. 1 is a front perspective view of the geodetic instrument
showing our new design;
FIG. 2 is back perspective view
FIG. 3 is a front elevational view;
FIG. 4 is a rear elevational view;
FIG. 5 is a left elevational view;
FIG. 6 is a right elevational view;
FIG. 7 is a top plan view; and,
FIG. 8 is a bottom plan view.



See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,222,678 B1 * 4/2001 Kimura G01C 1/02
250/203.2
D688,577 S * 8/2013 Steffey D10/66

1 Claim, 8 Drawing Sheets






Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7




Figure 8