



US00D786809S

(12) **United States Design Patent** (10) **Patent No.:** **US D786,809 S**
Kuriki (45) **Date of Patent:** **** May 16, 2017**

(54) **LIGHT EMITTING DIODE** D698,322 S * 1/2014 Takeda D13/180
8,632,226 B2 * 1/2014 Hata F21V 11/06
362/249.02
(71) Applicants: **CITIZEN ELECTRONICS CO., LTD.**, Yamanashi (JP); **CITIZEN WATCH CO., LTD.**, Tokyo (JP) D706,231 S * 6/2014 Hussell D13/180
D707,192 S * 6/2014 Hussell D13/180
D709,041 S * 7/2014 Yu D13/180
8,835,931 B2 * 9/2014 Wirth H01L 25/0753
257/76
(72) Inventor: **Shingo Kuriki**, Yamanashi (JP) D721,339 S * 1/2015 Hussell D13/180
(73) Assignees: **CITIZEN ELECTRONICS CO., LTD.**, Yamanashi (JP); **CITIZEN WATCH CO., LTD.**, Tokyo (JP) (Continued)

(**) Term: **15 Years**

(21) Appl. No.: **29/546,041**

(22) Filed: **Nov. 18, 2015**

(30) **Foreign Application Priority Data**

May 20, 2015 (JP) D2015-011004
May 20, 2015 (JP) D2015-011005
May 20, 2015 (JP) D2015-011020

(51) **LOC (10) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/180**

(58) **Field of Classification Search**
USPC D13/180; D26/1
CPC ... H01L 25/167; H01L 25/0753; H01L 27/15;
H01L 27/156; H01L 31/02; H01L 33/00;
H01L 33/04; H01L 33/08; H01L 33/10;
H01L 33/20; H01L 33/38; H01L 33/42;
H01L 33/48; H01L 33/483; H01L 33/486
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D150,498 S 2/1947 Hazelton
D615,052 S * 5/2010 Imai D13/180
D669,041 S * 10/2012 Imai D13/180
D683,708 S * 6/2013 Sasano D13/180
D689,451 S * 9/2013 Shimonishi D13/180

FOREIGN PATENT DOCUMENTS

JP D1431629 1/2012

OTHER PUBLICATIONS

Design U.S. Appl. No. 29/509,861, filed Nov. 21, 2014.
Design U.S. Appl. No. 29/509,865, filed Nov. 21, 2014.
Design U.S. Appl. No. 29/546,044, filed Nov. 18, 2015.

Primary Examiner — Selina Sikder
(74) *Attorney, Agent, or Firm* — Wenderoth, Lind & Ponack, L.L.P.


(57) **CLAIM**

The ornamental design for a light emitting diode, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of a light emitting diode showing my new design;
FIG. 2 is a top plan view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a right side elevational view thereof; and,
FIG. 7 is a bottom plan view thereof.
The broken line showing is included for the purpose of illustrating portions of the article and boundaries of the claimed subject matter and forms no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D727,273 S * 4/2015 Oka D13/180
9,018,648 B2 * 4/2015 Chiu H01L 25/0753
257/79
9,018,832 B2 * 4/2015 Agatani H01L 25/0753
313/498
9,029,905 B2 * 5/2015 Lin H01L 33/52
257/99
9,057,501 B2 * 6/2015 Cho H01L 23/544
9,059,376 B2 * 6/2015 Chou H01L 25/0753
9,130,140 B2 * 9/2015 Tsuchiya H01L 33/641
9,146,026 B2 * 9/2015 Funakubo F21V 21/00
D750,581 S * 3/2016 Eguchi D13/180
D751,517 S * 3/2016 Kuriki D13/180
2012/0126257 A1 * 5/2012 Reiherzer H01L 25/0753
257/88

* cited by examiner

FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 5




FIG. 6




FIG. 7

