



US00D786818S

(12) **United States Design Patent** (10) **Patent No.:** **US D786,818 S**
Kim et al. (45) **Date of Patent:** **** May 16, 2017**

(54) **ELECTRONIC DEVICE**
(71) Applicant: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)
(72) Inventors: **Sung-Kwon Kim**, Seoul (KR);
Sang-Min Hyun, Seoul (KR)
(73) Assignee: **SAMSUNG ELECTRONICS CO.,**
LTD., Suwon-si (KR)
(**) Term: **14 Years**

D714,752 S * 10/2014 Im D14/138 G
D716,292 S * 10/2014 Lai D14/341
D716,797 S * 11/2014 Lai D14/341
D721,346 S * 1/2015 Lee D14/138 G
D730,861 S * 6/2015 Ryu D14/138 G
D733,123 S * 6/2015 Chang D14/341
D738,841 S * 9/2015 Kim D14/138 G
D740,775 S * 10/2015 Joung D14/138 G
D743,367 S * 11/2015 Kim D14/138 G
D746,247 S * 12/2015 Cha D14/138 G
D750,038 S * 2/2016 Lee D14/138 G
D750,589 S * 3/2016 Kim D14/138 AA

(Continued)

(21) Appl. No.: **29/525,258**

(22) Filed: **Apr. 28, 2015**

(30) **Foreign Application Priority Data**

Nov. 6, 2014 (KR) 30-2014-0053322

(51) **LOC (10) Cl.** **14-03**

(52) **U.S. Cl.**
USPC **D14/138 AA**

(58) **Field of Classification Search**
USPC D14/138 C, 138, 138 R, 138 AA, 138 G,
D14/138 AD, 203.1, 203.3, 203.5, 203.6,
D14/203.7, 218, 248, 250, 315, 341, 342,
D14/343, 344, 345, 346, 347, 420, 426,
D14/496; D13/168
CPC .. G06F 1/1613; G06F 3/04883; G06F 3/0486;
G06F 3/04847; G06F 1/1647; G06F
3/04845; G06F 3/04817; A63H 33/3016;
H04M 1/0279; H04M 1/0281; H04M
1/0283
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D656,159 S * 3/2012 Andre D14/203.7
D692,422 S * 10/2013 Chung D14/341
D697,493 S * 1/2014 Park D14/138 G

FOREIGN PATENT DOCUMENTS

CN 302815274 S 5/2014
CN 302825811 S 5/2014

(Continued)

Primary Examiner — John Windmuller

Assistant Examiner — Benjamin Weeks

(74) *Attorney, Agent, or Firm* — McAndrews Held &
Malloy, Ltd.


(57) **CLAIM**

The ornamental design for an electronic device, as shown
and described.

DESCRIPTION

FIG. 1 is a top right front perspective view of an electronic
device showing our new design;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a rear elevation view thereof;
FIG. 4 is a left side elevation view thereof;
FIG. 5 is a right side elevation view thereof;
FIG. 6 is a top plan view thereof;
FIG. 7 is a bottom plan view thereof; and,
FIG. 8 is a top left rear perspective view thereof.
The broken lines represent portions of the electronic device
that form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D751,523 S * 3/2016 Min D14/138 G
D753,651 S * 4/2016 Hong D14/341
D754,624 S * 4/2016 Kim D14/138 G
D755,151 S * 5/2016 Kim D14/138 G
D756,950 S * 5/2016 Kim D14/138 G
D758,335 S * 6/2016 Lee D14/138 G
D758,361 S * 6/2016 Yeo D14/341
D760,206 S * 6/2016 Ryu D14/248
D767,521 S * 9/2016 Joung D14/138 AD
D767,562 S * 9/2016 Jang D14/341
D768,104 S * 10/2016 Park D14/138 G

FOREIGN PATENT DOCUMENTS

CN 302836368 S 6/2014
CN 302836382 S 6/2014
CN 302873906 S 7/2014

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

