

US00D787094S

(12) **United States Design Patent**
Britton

(10) **Patent No.:** **US D787,094 S**

(45) **Date of Patent:** **** May 16, 2017**

(54) **STRUCTURAL CORNER POST**

(71) Applicant: **Rex Allen Britton**, Prescott, AZ (US)

(72) Inventor: **Rex Allen Britton**, Prescott, AZ (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/505,814**

(22) Filed: **Feb. 19, 2016**

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/474,102, filed on May 30, 2014, now Pat. No. Des. 723,191, and a continuation-in-part of application No. 29/463,931, filed on Apr. 9, 2014, now Pat. No. Des. 722,395.

(51) **LOC (10) Cl.** **25-01**

(52) **U.S. Cl.**
USPC **D25/126**

(58) **Field of Classification Search**
USPC D25/43, 44, 61, 119, 124, 128, 131;
52/2.21, 260, 300, 301, 651.07;
256/65.01, 65.02, 65.04, 65.14; 405/211,
405/211.1, 216, 227
CPC E04H 17/10; E04H 17/14; G01B 3/14;
B23B 49/02
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 236,305 A * 1/1881 Clark E04H 17/10
256/50
- D314,053 S * 1/1991 Handler D25/43
- D361,631 S * 8/1995 King D25/128
- D386,330 S * 11/1997 Russell D25/122
- D424,217 S * 5/2000 Beachy D25/126
- D471,992 S * 3/2003 Hughes D25/122
- D589,724 S * 4/2009 Howe D25/126
- D600,831 S * 9/2009 Munakata D25/126

- D616,114 S * 5/2010 Harder D25/126
- 7,802,351 B2 * 9/2010 McGinness E04H 12/2253
256/65.14
- D636,898 S * 4/2011 Harder D25/126
- 8,167,275 B1 * 5/2012 Bizzarri E04F 11/181
256/65.02
- D671,659 S * 11/2012 Clayton D25/126
- D697,231 S * 1/2014 Ono D25/126

(Continued)

FOREIGN PATENT DOCUMENTS

EM 002442830-0001 * 5/2014

Primary Examiner — Susan Bennett Hattan

Assistant Examiner — Leanne Was-Englehart

(57) **CLAIM**

The ornamental design for a structural corner post, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view showing my new design for a structural corner post from the front, top, and right side; FIG. 2 is a perspective view showing the design from the rear, top, left side and is a mirror image of the view in FIG. 1;

FIG. 3 is a perspective view showing the design from the front, bottom and left side;

FIG. 4 is a perspective view showing the design from the bottom, rear, right side and is a mirror image of the view in FIG. 3;

FIG. 5 is a front elevational view thereof;

FIG. 6 is a rear elevational view thereof and is a mirror image of the view in FIG. 5;

FIG. 7 is a right-side elevational view thereof;

FIG. 8 is a left-side elevational view thereof and is a mirror image of the view in FIG. 7;

FIG. 9 is a top plan view thereof; and,

FIG. 10 is a bottom plan view thereof and is a mirror image of the view in FIG. 9.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D775,374 S * 12/2016 Walker D25/126
2014/0299829 A1 * 10/2014 Herman B23K 31/02
256/46

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6



Fig. 7




Fig. 8



Fig. 9



Fig. 10